FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABBOT

DD629
IDENTIFICATION NUMBER

COMMANDED BY

J. J. PIRRO, CDR., U. S. N.

Attached to { ____ Division,
RESERVE DESTROYER SQUADRON THIRTY Squadron,
DESTROYER FLOTILLA TWO Flotilla,
U.S. ATLANTIC FLEET Fleet,
FOURTH Naval District,

Commencing 0001 1 JUNE, 19 64,
(zone time and date)

at U.S. NAVAL BASE, PHILADELPHIA, PA.,
(location)

and ending 2400 30 JUNE, 19 64,
(zone time and date)

at U.S. NAVAL BASE, PHILADELPHIA, PA.
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____, 19 ____

(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION Q DATE MONDAY (Day) 1 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06				SAME AS SOPA									
07													
08				USS YOSEMITE (AD 19)									
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO USS THE SULLIVANS (DD 537) IN BERTH 224, PIER 2, US NAVAL BASE, NEWPORT, RHODE ISLAND, WITH STANDARD MOORING LINES DOUBLED IN A NEST OF FIVE SHIPS, IN ORDER OUTBOARD FROM THE PIER ARE USS CASCADE (AD 16), USS GLENNON (DD 840), THE SULLIVANS, ABBOT, AND USS PARLE (DE 708). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY IS COMFAIRQUONPT. SOPA NARRABAY SUB-AREA IS COMCRUDESFLOT TWO IN USS ARCADIA (AD 23).

Michael Harris
MICHAEL HARRIS
ENS USNR

04-08 MOORED AS BEFORE. 0700 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE. 0730 MUSTERED

APPROVED: CDR U. S. N. COMMANDING

EXAMINED: LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) MONDAY (Day) 1 (Date) JUNE (Month), 19 64

THE CREW AT QUARTERS. ABSENTEES: NONE. 0745 STATIONED THE MODIFIED SEA DETAIL. 0750 PARLE RECEIVED YTM 272 AND YTM 774 ALONGSIDE TO STARBOARD. COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY.

Michael Harris
MICHAEL HARRIS
ENS USNR

08-12 MOORED AS BEFORE. 0801 UNDERWAY COLD PLANT FROM BERTH 224 TO 244. 0811 MOORED BERTH 244 IN A NEST OF FIVE SHIPS; IN ORDER OUTBOARD FROM THE PIER ARE USS DECATUR (DD-936), USS CROMWELL (DE-1014), THE SULLIVANS, ABBOT, AND PARLE. YTM 272 AND YTM 774 UNDERWAY FROM ALONGSIDE PARLE. 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 1045 PARLE RECEIVED YTM 754 AND YTM 757 ALONGSIDE TO STARBOARD. 1100 UNDERWAY COLD PLANT FROM BERTH 244 TO 224. 1109 MOORED BERTH 224 IN A NEST OF FIVE SHIPS; IN ORDER OUTBOARD FROM THE PIER ARE CASCADE, USS HAZELWOOD (DD-531), THE SULLIVANS, ABBOT AND PARLE. YTM 754 AND YTM 747 UNDERWAY FROM ALONGSIDE PARLE. SECURED MODIFIED SEA DETAIL.

J E Matson
J.E. MATSON
HTJG USNR

12-16 MOORED AS BEFORE.

J E Matson
J.E. MATSON
HTJG USNR

16-20 MOORED AS BEFORE.

J E Matson
J.E. MATSON
HTJG USNR

20-24 MOORED AS BEFORE

J E Matson
J.E. MATSON
HTJG USNR

APPROVED:
J. [illegible] CDR U. S. N. COMMANDING

EXAMINED:
[illegible] LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION +4 Q DATE 14 TUESDAY (Day) 2 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ NEWPORT, R.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04			SAME AS SOPA										
05													
06													
07													
08			USS YOSEMITE (AD19)										
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORT SIDE TO USS THE SULLIVANS (DD537) IN BERTH 224 PIER 2, US NAVAL BASE, NEWPORT, R.I., WITH STANDARD MOORING LINES DOUBLED IN A NEST OF FIVE SHIPS; IN ORDER OUTBOARD FROM THE PIER ARE USS CASCADE (AD-16), USS HAZELWOOD (DD-531), THE SULLIVANS, ABBOT, AND USS PARLE (DE-708). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY IS COMFAIRQUONPT. SOPA NARRABAY SUB AREA IS COMCORDESFLOT TWO IN USS ARCADIA (AD-23)

J.E. Matson
J.E. MATSON
LTJG USNR

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE

J.E. Matson
J.E. MATSON
LTJG USNR

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) TUESDAY (Day) 2 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0904 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N J SHACKELTON JR.
ENS USN

12-16 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

16-20 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

20-24 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4Q DATE WEDNESDAY (Day) 3 (Date) JUNE (Month), 19 64

AT/~~PASSAGE~~ FROM NEWPORT, R.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05				SAME AS SOPA									
06													
07													
08				USS YOSEMITE (AD19)									
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORTSIDE TO USS THE SULLIVANS (DD537) IN BERTH 224, PIER 2, US NAVAL BASE, NEWPORT, R.I., WITH STANDARD MOORING LINES DOUBLED, IN A NEST OF FIVE SHIPS; IN ORDER OUTBOARD FROM THE PIER: USS CASCADE (AD16), USS HAZELWOOD (DD531), THE SULLIVANS, ABBOT, AND USS PARLE (DE708). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY IS COMFAIRQUONPT. SOPA NARRABAY SUBAREA IS COMCRUDESFLOT 2 IN USS ARCADIA (AD23)

NJ Shackelford Jr.
NJ SHACKELFORD JR.
ENS USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

NJ Shackelford Jr.
NJ SHACKELFORD JR.
ENS USN

APPROVED:
[signature] CDR U. S. N. COMMANDING

EXAMINED:
[signature] CDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WEDNESDAY (Day) 3 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0905 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

Michael Harris
MICHAEL HARRIS
ENS USNR

12-16 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
ENS USNR

16-20 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
ENS USNR

20-24 MOORED AS BEFORE. 2000 HOGAN, B.J., 7673152, SH2, USN, RETURNED ON BOARD, HAVING COMPLETED TEMPORARY SHORE PATROL DUTY.

Michael Harris
MICHAEL HARRIS
ENS USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION Q DATE THURSDAY (Day) 4 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS 1 AD-19 SOPA ~~POSE~~ MOORED USS

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORT SIDE TO USS THE SULLIVANS (DD 537) IN BERTH 224, PIER 2, U.S. NAVAL BASE, NEWPORT, RHODE ISLAND, WITH STANDARD MOORING LINES DOUBLED IN A NEST OF FIVE SHIPS; IN ORDER OUTBOARD FROM THE PIER ARE USS CASCADE (AD 16), USS HAZELWOOD (DD 531), THE SULLIVANS, ABBOT, AND USS PARLE (DE 708). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY IS COMFAIRQUONPT AND SOPA NARRABAY SUB-AREA IS COMCRUDESFLOT TWO IN USS ARCADIA (AD 23).

Michael Harris
MICHAEL HARRIS
ENS USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEE: BASS, B.E., 904 1617, FN, USN, AWOL SINCE 0730

APPROVED:
~~U. S. N.~~ COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) THURSDAY (Day) 4 (Date) JUNE (Month), 19 64

THIS DATE.

Michael Harris
MICHAEL HARRIS
ENS USNR

08-12 MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL.

Lane H Kendig
LANE H KENDIG
ENS USNR

12-16 MOORED AS BEFORE. 1510 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEMS. TESTS SATISFACTORY.

Lane H Kendig
LANE H KENDIG
ENS USNR

16-20 MOORED AS BEFORE

Lane H Kendig
LANE H KENDIG
ENS USNR

20-24 MOORED AS BEFORE

Lane H Kendig
LANE H KENDIG
ENS USNR

APPROVED:

[signature] U. S. N. COMMANDING

EXAMINED:

[signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q DATE FRIDAY (Day) 5 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ NEWPORT, RHODE ISLAND TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS 1100 AD-16 SOPA USS JOSE WHITE

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORTSIDE TO USS THE SULLIVANS (DD-537) IN BERTH 224, PIER 2, U.S. NAVAL BASE, NEWPORT, RHODE ISLAND, WITH STANDARD DISTROYER MOORING LINES DOUBLED, IN A NEST OF FIVE SHIPS; IN ORDER OUTBOARD FROM THE PIER, USS CASCADE (AD-16), USS HAZELWOOD (DD 531), THE SULLIVANS, ABBOT, AND USS PARLE (DE 708). RECEIVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY IS COMFAIRQUONPT AND SOPA NARRABAY SUB AREA IS COMCRUDESFLOT TWO IN USS ARCADIA (AD-23).

Lane H Kendig
LANE H KENDIG
ENS USNR

04-08 MOORED AS BEFORE. MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

E Matson
E. MATSON
ENS USNR

APPROVED:
J Allen COR U. S. N. COMMANDING

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) FRIDAY (Day) 5 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0807 UNDERWAY COLD PLANT IN COMPANY WITH PARLE. ~~0820~~ TO ALLOW THE SULLIVANS TO LEAVE THE NEST. 0820 THE SULLIVANS GOT UNDERWAY AND STOOD OUT OF THE HARBOR. 0826 MOORED PORTSIDE TO HAZELWOOD IN BERTH 223, PIER 2, USNAVAC BASE NEWPORT, R.I. WITH STANDARD MOORING LINES DOUBLED. IN NEST OF FOUR SHIPS; IN ORDER OUTBOARD FROM THE PIER: CASCADE, HAZELWOOD, ABBOT, AND PARLE. 0920 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 1120 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: BASS, B.E., 904-16-17, FN, USN, OFFENSE: ABSENCE WITHOUT LEAVE FROM 4 JUNE 1964 TO 5 JUNE 1964, A PERIOD OF ONE (1) DAY. PUNISHMENT: RESTRICTION TO LIMITS OF SHIP FOR THIRTY (30) DAYS, TEN (10) HOURS EXTRA DUTY AND FORFEITURE OF THIRTY (30) DOLLARS PER MONTH FOR TWO (2) MONTHS COMMENCING 5 JUNE 1964.

NJ SHACKELTON JR.
ENS USN

12-16 MOORED AS BEFORE. 1306 PARLE GOT UNDERWAY AND STOOD OUT OF THE HARBOR.

NJ SHACKELTON JR.
ENS USN

16-20 MOORED AS BEFORE.

NJ SHACKELTON JR.
ENS USN

20-24 MOORED AS BEFORE.

NJ SHACKELTON JR
ENS USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4Q DATE SATURDAY (Day) 6 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ NEWPORT, R.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS 1200 AD 16 SOPA YOSEMITE USS

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0004 MOORED PORTSIDE TO USS HAZELWOOD (DD531) IN BERTH 223, PIER 2, US NAVAL BASE, NEWPORT, R.I., WITH STANDARD MOORING LINES DOUBLED IN A NEST OF THREE SHIPS; IN ORDER OUTBOARD FROM THE PIER: USS CASCADE (AD-16), HAZELWOOD, AND ABBOT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY IS COMFAIRQUONPT, SOPA NARRABAY SUB-AREA IS COMCRUDESFLOT TWO IN USS ARCADIA (AD-23).

N J SHACKLETON JR.
ENS USN

0408 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

N J SHACKLETON JR.
ENS USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SATURDAY (Day) 6 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0905 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 1100 COMCRODESLANT IN USS YOSEMITE (AD-19) BECAME SOPA NARRABAY AND NARRABAY SUB-AREA.

NJ SHACKELTON JR.
ENS USN

12-16 MOORED AS BEFORE.

NJ SHACKELTON JR.
ENS USN

16-20 MOORED AS BEFORE.

NJ SHACKELTON JR.
ENS USN

20-24 MOORED AS BEFORE.

NJ SHACKELTON JR.
ENS USN

APPROVED: J J Puro CDR U. S. N. COMMANDING

EXAMINED: John Snyder LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4Q DATE SUNDAY (Day) 7 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ NEWPORT, R.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SHAKE DOWN AS SOPA 4 SEP 11 TO AD-19 USS YOSEMITE

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORTSIDE TO USS HAZELWOOD (DD531) IN BERTH 223, PIER 2 US NAVAL BASE, NEWPORT, R.I. WITH STANDARD MOORING LINES DOUBLED IN ANEST OF THREE SHIPS; IN ORDER OUTBOARD FROM THE PIER: USS CASCADE (AD16), HAZELWOOD, AND ABBOT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY AND NARRABAY SUB-AREA IS COMCRUDESLANT IN USS YOSEMITE (AD-19).

N J SHACKELTON JR.
ENS USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS: ABSENTEES: NONE.

N J SHACKELTON JR.
ENS USN.

APPROVED: COR U. S. N. COMMANDING

EXAMINED: LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) SUNDAY (Day) 7 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0905 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N J SHACKELTON JR.
ENS USN

12-16 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

16-20 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

20-24 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION 14Q DATE MONDAY (Day) 8 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ NEWPORT, R.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20	205	6	4	[illegible]	2998	64	64	9	5000	ST	56	CALM	
21	200	6	4	[illegible]	3000	65	64	6	5000	SC	60	CALM	
22	200	5	5	[illegible]	3000	65	64	6	3500	SC	61	CALM	
23	130	6	5	[illegible]	3000	65	64	6	3500	SC	60	CALM	
24	150	6	5	[illegible]	3000	65	64	4	3000	ST	61	CALM	

SAME AS 19 AD-19 SOPA YOSEMITE USS

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L 40-16 N		BY 2
λ 72-10 W		BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

04-04 MOORED PORTSIDE TO USS HAZELWOOD (DD531) IN BERTH 223, PIER 2, U S NAVAL BASE, NEWPORT, R.I., WITH STANDARD MOORING LINES DOUBLED IN A NEST OF THREE SHIPS; IN ORDER OUTBOARD FROM THE PIER: USS CASCADE (AD-16), HAZELWOOD, AND ABBOT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA NARRABAY AND NARRABAY SUB-AREA IS COMCRUDESLANT IN USS YOSEMITE (AD-19)

J C Shackelton Jr.
NS SHACKELTON JR.
ENS USN

04-08 MOORED AS BEFORE. 0700 Commenced preparations for getting underway. Set material condition Yoke. 0730 Mustered the Crew on stations. Absentee: WHALEY, R.C., 545-23-62, FN, USN, AWOL since 0730 this date. Stationed the special sea detail.

APPROVED:
[signature] U. S. N. COMMANDING

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) MONDAY (Day) 8 (Date) JUNE (Month), 19 64

04-08 (Cont'd) 0755 Completed all preparations for getting underway. Draft: forward 13 feet 3 inches, aft 13 feet 3 inches. 0804 Underway for Prudence Island, R.I.; maneuvering to clear berth. Captain conning, Navigator on the bridge. ~~0809 Set course 200 at various speeds while approaching Gould Is. Degaussing Range. 0835 Running degaussing~~ mfpm mfpm mfpm

J. D. COOPER
LT, USN

08-12 Steaming as before. 0809 Set course 200 at various speeds while approaching Gould Is. Degaussing Range. 0835 Running degaussing range, base course 345, speed 8 knots. 0845 Secured degaussing, set course ~~245~~ 010. 0855 Maneuvering to enter berth. 0904 Moored port side to Prudence Island Pier, with standard mooring lines doubled. 0920 Commenced transferring ammunition. 1200 SECURED FROM HANDLING AMMUNITION, OFF LOADED 300 RDS 5"/38 AAC, 300 RDS 5"/38 VTF and ~~off loaded~~ ON LOADED 448 250 RDS 5"/38 BLKP, 342 RDS 5"/38 VTNF, 149 RDS 3"/50 VTNF, 359 RDS 3"/50 AP, 56 RDS VTF-FL, AND 129 RDS VT-SPON

LANE H. REUDIG
ENS USNR

12-16 Moored as before. 1330 Commenced preparations for getting underway. 1345 Stationed the special sea detail. 1355 Completed all preparations for getting underway. Draft: forward 13 feet 4 inches, aft 13 feet 3 inches. 1400 Underway for Philadelphia, Pa, independently, in compliance with ComNavResTraComd ANNUAL EMPLOYMENT SCHEDULE. Maneuvering to clear berth. Captain at the conn, Navigator on the bridge. 1410 Maneuvering on approach to Gould Is. Degaussing Range. 1425 Running degaussing range, base course 165, speed 8 knots. 1430 OOD was given the conn. Maneuvering on various courses at various speeds while conforming to Newport Channel. 1449 Set course 180, 17 knots. 1457 Passed Brenton Reef Light Tower abeam to stbd. Range 200 yards. 1513 Secured special sea detail, set regular steaming watch.

J. D. COOPER
LT, USN

16-18 STEAMING AS BEFORE. 1611 C/C TO 215. 1612 C/S TO 20 KTS. 1707 C/S TO 15 KTS.

J. E. MATSON
LTJG USNR

18-20 STEAMING AS BEFORE.

MICHAEL J. MARTIN,
LTJG, USN

20-24 STEAMING AS BEFORE 2118 C/S TO 15 KTS ON STARBOARD SHAFT. 2121 CASUALTY TO #4 BOILER. SECURED SUPERHEATERS TO BOILERS #1 AND #4. SECURED BOILER #4. LIGHTED FIRES UNDER BOILER #3. 2125 REPAIRS COMPLETED TO PORT SHAFT. PORT SHAFT UNLOCKED AND TRAILING. 2146 ALL TESTS OF PORT SHAFT SATISFACTORY. C/S TO 15 KTS BOTH SHAFTS.

APPROVED: J. [illegible] ODR. U. S. N. COMMANDING

EXAMINED: JOHN [illegible] LOOR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

John Doe
_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) MONDAY 8 JUNE 1964
(Day) (Date) (Month)

20-24 (CONVIT) 2221 BOILER #3 ON THE LINE.
LIGHTED OFF SUPERHEATERS TO BOILERS #1 AND #3.
2222 C/S TO 17KTS. ~~2233~~ 2231 C/S TO 20 KTS. 2233 JMK
WITH BO BUOY MARKING TEXAS TOWER RUINS BEARING
305° C/C TO 230° 2243 C/S TO 237° 2256 C/C TO 238°

John M. Kellener
JOHN M. KELLENER
LT(jg) USN

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4Q DATE TUESDAY (Day) 9 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	218	7	8	SCT	3002	65	64	3	5000	ST	62	CALM	
02	220	6	8	SCT	3002	65	64	2	5000	CU	62	CALM	
03	222	7	8	SCT	3002	65	65	2	5000	CU	61	CALM	
04	210	4	8	SCT	3002	65	63	2	5000	CU	61	CALM	
05	200	4	8	SCT	3060	64	63	2	5000	CU	61	CALM	
06	315	8	8	SCT	3002	66	65	3	5000	CU	56	CALM	
07	298	3	8	SCT	3002	68	67	3	5000	CU	64	CALM	
08	065	4	8	FOG	3003	69	68	3	~~5000~~	CU	64	CALM	
09	068	5	8	FOG	3003	69	68	3	3000	CU	68	CALM	
10	025	5	8	FOG	3002	70	69	2	5000	CU	68	CALM	
11													
12			SAME										
13													
14	U.S.S.				AS								
15													
16													
17					SOPA								
18													
19	GUADALCANAL (LPH 7)												
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM NEWPORT, R.I. TO PHILADELPHIA, PA. IN ACCORDANCE WITH COMNAVRESTRACMD ANNUAL ~~OP-SKED~~. EMPLOYMENT SCHEDULE. CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE SET. COURSE 238. SPEED 20 KNOTS. 0213 c/s TO 15 KNOTS. c/c TO 243. 0228 c/c TO 238 c/s TO 20 KTS. 0331. c/c TO 262. 0342 c/c TO 254. 0353 c/c TO 251.

M. J. Martin
M. J. MARTIN
LTJG USN

04-08 STEAMING AS BEFORE. 0403 c/c to 270; PASSED FIVE FATHOM LIGHTSHIP ABEAM TO STARBOARD, RANGE 2 MILES. 0448 c/c to 300. 0507 ENTERED INLAND WATERS. STATIONED THE SPECIAL SEA DETAIL; OOD CONNING, CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0508 c/c to 337. 0513 c/c to 328.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD-629 TUESDAY (Day) 9 (Date) JUNE (Month), 19 64

04-08 (Cont'd) 0520 c/c to 337. 0535 c/s to 22 KNOTS. 0537 PASSED BRANDYWINE SHOAL LIGHT ABEAM TO STARBOARD, RANGE 1500 YARDS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO DELAWARE RIVER CHANNEL. 0730 MUSTERED THE CREW ON STATIONS; ABSENTEE: WHALEY, R. C., 592-23-62, FN, USN, AWOL since 0730, 8 JUNE 1964.

J. D. COOPER,
LT, USN

08-12 STEAMING AS BEFORE, MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO DELAWARE RIVER CHANNEL. 0935 U.S. NAVY TUG No. 359 CAME ALONGSIDE PORT BEAM. PILOT, MR. RILEY, CAME ABOARD AND TOOK THE CONN. 0939 OOD WAS GIVEN THE CONN; MANEUVERING TO ENTER ASSIGNED BERTH. 1000 MOORED STARBOARD SIDE TO U.S.S. SAN PABLO (AGS-30), AT WEST BERTH, PIER 2, U.S. NAVAL BASE, PHILADELPHIA, PA., WITH STANDARD MOORING LINES DOUBLED. RECEIVING ALL UTILITIES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS C.O., U.S.S. GUADALCANAL (LPH-7). 1010 PILOT LEFT THE SHIP; CAST OFF TUG. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

J. D. COOPER,
LT, USN

12-16 MOORED AS BEFORE. 1240 WHALEY, R.C. 592 23 62, FN, USN, RETURNED ON BOARD, HAVING BEEN AWOL SINCE 0730 8 JUNE 1964.

J.E. MATSON
MTSG USNR

16-20 MOORED AS BEFORE.

J.E. MATSON
MTSG USNR

20-24 MOORED AS BEFORE.

J.E. MATSON
MTSG USNR

APPROVED: J. J. Pierro COR U. S. N. COMMANDING

EXAMINED: John R. Cerniak U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

OFFICIAL USE ONLY
ERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION T4G DATE WEDNESDAY (Day) 10 (Date) JUNE (Month), 1964

AT ~~PASSAGE FROM~~ PHILADELPHIA PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS SOPA USS GUADACANAL LPH-7

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

04-04 MOORED STARBOARD SIDE TO USS SAN PABLO (AGS-30), PIER 2, US NAVAL SHIPYARD, PHILADELPHIA, PA., ~~IN A NEST~~ WITH STANDARD MOORING LINES ~~BOWS~~ DOUBLED IN A NEST OF TWO SHIPS; IN ORDER OUTBOARD FROM THE PIER ARE SAN PABLO AND ABBOT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS CO USS GUADACANAL LPH-7.

J E Matson
J.E. MATSON
HTSG USNR

04-08 MOSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J E Matson
J.E. MATSON
HTSG USNR

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WEDNESDAY (Day) 10 (Date) JUNE (Month), 1964

08-12 MOORED AS BEFORE. 1012 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 1155 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: WHALEY, R.C., 592-33-62, FN, USN, OFFENSE: AWOL FROM 8 JUNE 1964 TO 9 JUNE 1964, A PERIOD OF ONE (1) DAY, FOUR (4) HOURS, AND THIRTY (30) MINUTES AND MISSING MOVEMENT. PUNISHMENT: TWELVE (12) HOURS EXTRA DUTY.

N J SHACKELTON JR.
ENS USN

12-16 MOORED AS BEFORE. 1400 COMMENCED FUELING FROM YON-81. DRAFT FORWARD 13FT 4IN AFT 13FT 3IN. 1455 FUELING COMPLETED, DRAFT FORWARD 13FT 6IN AFT 13 FT 6IN.

N J SHACKELTON JR.
ENS USN

16-20 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

20-24 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4Q DATE THURSDAY (Day) 11 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS SOPA USS GUADALCANAL (LPH-7)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

00-04 MOORED STARBOARD SIDE TO USS SAN PABLO (AGS-30), PIER TWO, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED IN A NEST OF TWO SHIPS; IN ORDER OUTBOARD FROM THE PIER SAN PABLO AND ABBOT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS C.O. USS GUADALCANAL (LPH-7)

N. J. Shackelton Jr.
NJ SHACKELTON JR.
ENS USN

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

N. J. Shackelton Jr.
NJ SHACKELTON JR.
ENS USN

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD-629 THURSDAY (Day) 11 (Date) JUNE (Month), 19 61

08-12 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

J E Matson
J.E. MATSON
LTJG USNR

12-16 MOORED AS BEFORE.

J E Matson
J.E. MATSON
LTJG USNR

16-20 MOORED AS BEFORE.

J E Matson
J.E. MATSON
LTJG USNR

20-24 (MOORED) AS BEFORE.

J E Matson
J.E. MATSON
LTJG USNR

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: [signature] LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION +4Q DATE FRIDAY (Day) 12 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS AM SOPAD 055 PM

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO USS SAN PABLO (AGS-30), PIER TWO, U.S. NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED IN ANEST OF TWO SHIPS; IN ORDER OUTBOARD FROM THE PIER ARE SAN PABLO AND ABBOT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SOPA IS C.O. USS GUADALCANAL (LPH-7)

J E Matson
JE MATSON
HTG USN

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE

J E Matson
J.E. MATSON
HTG USN

APPROVED: CDR
U. S. N. COMMANDING

EXAMINED: LCDR
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) FRIDAY (Day) 12 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0815 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES.

Lane H Kendig
LANE H KENDIG
ENS USNR

12-16 MOORED AS BEFORE.

Lane H Kendig
LANE H KENDIG
ENS USNR

16-20 MOORED AS BEFORE. 1945 IN ACCORDANCE WITH COMFOUR ORDER NO. 50-12-0267 LTJG ~~BITTLE~~ ~~TENNER~~ L.K. BITTLE USNR-R 644541 REPORTED FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDER NO. 50-12-0263 LCDR. E.L. BIXBY USNR-R 557629 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDER NO. 50-12-0234 LTJG RJ BOGLE USNR-R 638913 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDER NO. 50-12-0235 LTJG M.A CARROZZA USN-R 638915 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDERS NO. 50-12-0236 LTJG RA. EVERITT USNR-R 593170 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDERS NO. 50-12-0230 LT F) FENDLER USNR-R 614092 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDER NO. 50-12-0506 LTJG JR JORDAN USNR-R 638929 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDER NO. 50-12-0237 LT.W.KUEHL USNR-R 608729 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDERS NO. 50-12-0262 LT J.C MACKEN USNR-R 584943 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE. IN ACCORDANCE WITH COMFOUR ORDER NO 50-12-0238 LT. ZAAYENGA ~~REPORT~~ USNR-R 558976 REPORTED ON BOARD FOR DUTY FOR RESERVE TRAINING CRUISE.

Lane H Kendig
LANE H KENDIG
ENS USNR

20-24 MOORED AS BEFORE.

Lane H Kendig
LANE H KENDIG
ENS USNR

APPROVED: J. [illegible] COR U. S. N. COMMANDING

EXAMINED: John Ders U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION _____ DATE SATURDAY (Day) 13 (Date) JUNE (Month), 19 64

AT/~~PASSAGE~~ FROM PHILADELPHIA PA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19	117	8	5	BKN	29.98	75	67	7	2000	CU	60	170	3
20	200	10	5	SCT	29.98	70	68	4	3000	CU	66	200	3
21	200	10	5	SCT	29.99	70	68	3	3000	CU	67	200	3
22	185	15	5	SCT	30.00	72	67	2	3000	CU	67	200	2
23	190	14	5	CLR	30.02	70	67	C	CLEAR		66	190	2
24	180	13	5	CLR	30.01	68	67	C	CLEAR		66	195	2

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L		BY
λ		BY
2000 L 36° 12' N		BY 2
λ 73° 52' W		BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 198.0

FUEL CONSUMED 0000-2400: 11846

REMARKS

00-04 MOORED STARBOARD SIDE TO USS SAN PABLO (AGS-30), IN BERTH 222, PIER 2, PHILADELPHIA NAVAL SHIPYARD, PHILADELPHIA, PA. WITH STANDARD DESTROYER MOORING LINES DOUBLED, IN A NEST OF TWO SHIPS, INORDER OUTBOARD FROM THE PIER SAN PABLO AND ABBOT. THE PLANT IS COLD. RECIEVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS CO. USS GUADACANAL (LPH-7)
Lane H Kendig
LANE H KENDIG
ENS USNR

04-08 MOORED AS BEFORE. ~~0758 LIT FIRES UNDER BOILER #2~~ 0700 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE. 0758 LIT FIRES UNDER BOILER #2 LHK
Lane H Kendig
LANE H KENDIG
ENS USNR

APPROVED:
J. P. [illegible] COR. U. S. N. COMMANDING

EXAMINED:
J. R. [illegible] LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SATURDAY (Day) 13 (Date) JUNE (Month) 1964

08-12 MOORED AS BEFORE. 1120 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 1130 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE.

J E Matson
J. E. MATSON
ENS USNR

12-16 MOORED AS BEFORE. 1200 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE. 1300 STATIONED THE SPECIAL SEA DETAIL. 1315 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT: FORWARD 13 FEET 6 INCHES, AFT 13 FEET 6 INCHES. 1330 UNDERWAY FOR FT. LAUDERDALE, FLA., AS A UNIT OF TASK UNIT 178.4.3 IN COMPLIANCE WITH COMNAVRESDIV 4 AND OPORDER 6-64. MANEUVERING TO CLEAR BERTH. CAPTAIN CONNING, NAVIGATOR ON THE BRIDGE. 1336 SET COURSE 264, SPEED 10 KNOTS. 1338 OOD WAS GIVEN THE CONN. 1343 C/C TO 233, C/S TO 15 KNOTS. 1344 COMMENCED STEAMING AT VARIOUS COURSES, AT VARIOUS SPEEDS, WHILE CONFORMING TO DELAWARE RIVER CHANNEL.

R. Zaayenga
R. ZAAYENGA,
LT, USNR

16-18 STEAMING AS BEFORE; PROCEEDING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO DELAWARE RIVER CHANNEL. 1757 PASSED BUOY 14R ABEAM TO PORT, RANGE 200 YARDS. 1759 STEAMING ON COURSE 154, SPEED 15 KNOTS.

R. Zaayenga
R. ZAAYENGA,
LT, USNR

18-20 Steaming as before. 1757 Passed buoy 14R abeam to port. 1833 Entered International waters 1841 c/c 136° 1856 Passed buoy C abeam to port. 1918 Passed buoy B abeam to port. 1939 Passed buoy A abeam to port.

R H Garner
LTJG/USNR-R

20-24 STEAMING AS BEFORE. 2000 COMMENCED ECONOMY RUN. SET COURSE 196° (T) SPEED 20 KNOTS. 2047 C/C 195. 2103 BUOY 2JS ABEAM TO STARBOARD. 2300 C/C 000. 2346 C/C 180.

R J Bogle
R. J. BOGLE
LTJG USNR-R

APPROVED: [signature] COR U. S. N. COMMANDING

EXAMINED: [signature] LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION _____ DATE SUNDAY (Day) 14 (Date) JUNE (Month), 1964

AT/PASSAGE FROM PHILADELPHIA, PA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	13	7	CLR	30.00	69	67	CLR	—	—	66	200	2
02	185	8	7	CLR	30.00	70	70	CLR	—	—	65	195	2
03	195	11	7	CLR	30.00	71	67	CLR	—	—	64	193	2
04	180	2	7	CLR	30.00	69	68	CLR	—	—	64	195	3
05	089	3	7	CLR	30.00	71	70	CLR	—	—	72	180	3
06	139	6	7	CLR	30.01	73	71	CLR	—	—	76	190	3
07	125	5	7	CLR	30.02	76	74	CLR	—	—	78	220	3
08	238	10	7	CLR	30.05	77	75	CLR	—	—	80	230	3
09	236	11	7	CLR	30.05	78	75	CLR	—	—	80	240	3
10	351	8	7	CLR	30.07	78	75	CLR	—	—	81	240	3
11	240	10	7	CLR	30.05	81	74	CLR	—	—	80	250	2
12	250	11	8	SCT	30.03	81	76	2	3000	CU	82	270	2
13	240	10	8	SCT	30.03	82	75	2	3000	CU	82	250	2
14	240	10	8	SCT	30.03	82	75	3	3000	CU	82	250	2
15	230	2	8	SCT	30.02	82	75	3	3000	CU	81	250	2
16	220	8	8	SCT	30.02	82	78	6	5000	ST/CU	80	270	3
17	057	5	8	SCT	30.00	82	77	5	10000	CI	80	230	3
18	060	11	8	SCT	30.00	81	77	5	10000	CI	80	245	3
19	100	8	8	SCT	30.06	82	77	4	10000	CI	80	260	3
20	190	6	8	SCT	30.05	80	77	3	10000	CI	82	210	2
21	189	5	8	SCT	30.06	80	77	4	10000	CI	82	210	2
22	192	5	8	SCT	30.06	80	77	4	10000	CI	82	210	2
23	265	4	8	CLR	30.08	80	77	CLR	—	—	82	220	1
24	250	5	8	CLR	30.10	80	78	CLR	—	—	82	250	1
								CLR	—	—			

POSITION	ZONE	TIME
0800 L 36° 20' N	BY	2
λ 74° 00' W	BY	2
1200 L 36° 46' N	BY	2
λ 74° 18' W	BY	2
2000 L 35° 03' N	BY	2
λ 74° 30' W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 335.2

FUEL CONSUMED 0000-2400: 18723

REMARKS

00-04 STEAMING INDEPENDENTLY IN THE VACAPES OP-AREAS ENROUTE FROM PHILADELPHIA, PENNSYLVANIA, TO PORT EVERGLADES, FLORIDA, IN ACCORDANCE WITH COMNAVRESDIV OP-ORDER 6-64. CONDUCTING 20 KNOT ECONOMY RUN. COURSE 180, SPEED 20 KNOTS. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE SET. 0202 SECURED FROM 20 KNOT ECONOMY RUN. 0210 C/C TO 192. 0218 C/S TO 25 KNOTS. 0219 C/C TO 197. MANEUVERING TO RENDEZVOUS WITH TU 178.4.3, BEARING 203, RANGE 13 MILES. 0355 TOOK DESIGNATED STATION FOUR IN FORMATION BNE, AXIS 180, COURSE 180, SPEED 15 KNOTS. GUIDE IS USS BLACKWOOD (DE-219) IN STATION ONE. OTC IS CTU 178.43 IN BLACKWOOD.

L. K. BITTLE
L. K. BITTLE
LTJG USNR-R

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SUNDAY (Day) 14 (Date) JUNE (Month), 19 64

04-08 STEAMING AS BEFORE 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES : NONE.

R. Zaayenga
R. ZAAYENGA
LT USNR-R

08-12 STEAMING AS BEFORE. 0810 c/c TO 126. 0815 c/c TO 180. 0816 c/s TO 11 KTS. 0841 c/c TO 000. 0847 c/c TO 180. 0850 c/s TO 14 KTS. 0851 c/s TO 231. 0856 c/c TO 200. 0857 c/s TO 15 KTS. 0901 c/c TO 180. 0902 c/s TO 12 KTS. 0903 c/c TO 190. 0910 c/s TO 15 KTS. 0911 c/c TO 180. 0915 c/c TO 170. 0916 c/s TO 12 KTS. 0927 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 0930 EXERCISED THE CREW AT GENERAL QUARTERS. 0940 c/c TO 190. 0954 SET MATERIAL CONDITION ZEBRA. 0959 c/c TO 150. 1009 c/c TO 160. 1018 c/c TO 170. 1032 HELD ABANDON SHIP DRILL. ~~1032~~ 1056 SECURE FROM ABANDON SHIP DRILL. 1058 SET MATERIAL CONDITION YOKE. 1112 SECURED FROM GENERAL QUARTERS.

W. P. Kuehl
LT. USNR-R

12-16 STEAMING AS BEFORE c/c 270° T. STEAMING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING T.S.E. 1300 ~~WENT TO G~~ EXERCISED THE CREW AT GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA THROUGHOUT THE SHIP. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING SONAR EXERCISES 1344 SECURED SUPERHEATERS ON BOILERS NO. 2 AND 4. 1355 SET CONDITION YOKE 1406 SECURED FROM GENERAL QUARTERS. SET COURSE 201° T SPEED 15 KTS. MANEUVERING AT VARIOUS COURSES AND SPEED WHILE CONDUCTING T.S.E 1452 COMMENCED MAN OVERBOARD DRILLS. MANEUVERING AT VARIOUS COURSES AND SPEEDS.

R H Gerrish
LTJG/USNR-R

16-18 STEAMING AS BEFORE. 1645 SECURED FROM MAN OVERBOARD DRILLS. SET COURSE 170 SPEED 20 KNOTS FOR RENDEZVOUS WITH TU 178.4.3. 1700 REDEZVOUSED WITH TU 178.4.3. ASSUMED STATION 4, COLUMN FORMATION, BLACKWOOD IS GUIDE. 1733 COMMENCED MANNEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS FOR LIGHT LINE TRASFER WITH

APPROVED: J J Barrow CDR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abbot (DD-692) ZONE DESCRIPTION Q DATE Monday (Day) 15 (Date) June (Month), 19 64

AT/PASSAGE FROM Philadelphia, Pennsylvania TO Port Everglades, Florida

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0000 - 04 STEAMING IN COMPANY WITH TASK UNIT 178.4.3 IN THE VACAPES OP-AREA ENROUTE FROM Philadelphia Pennsylvania to PORT EVERGLADES, FLORIDA IN ACCORDANCE WITH COMNAVRES DEDIV 4 NTD OPORDER 6-64. This ship in STATION 4 of A column formation. FORMATION COURSE 000° SPEED 10 KNOTS. SOPA is CTU 178.4.3 IN USS BLACKWOOD (DE-219). USS SWEARER in STATION 2, is guide bearing 000° AT 1000 yards. Conditions of readiness 4 and. MATERIAL CONDITION YOKE SET. 0005 C/C 260°. 0015 C/C 225° 0102 Assumed STATION 4 IN A DIAMOND FORMATION. B/C 225° 6/S 10 KTS. Guide is USS BLACKWOOD in STATION bearing 225° AT 1500 yds.

R A Fleming
LTJG/USNR-R.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SUNDAY (Day) 14 (Date) JUNE (Month), 19 64

USS HANK (DD-702), BASE COURSE 000, BASE SPEED 10. COMMANDING OFFICER, RECROW, AT THE CONN. 1745 COMMENCED TRANSFER. 1749 COMPLETED TRANSFER. MANNEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS ~~##~~ TO TAKE STATION 3 IN COLUMN FORMATION BASE COURSE 000, BASE SPEED 12 KTS.

R J Bogle
R. J. BOGLE
LTJG USNR-R

18-20 STEAMING AS BEFORE. ON STATION. 1830 MANUEVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO STATION #4 IN A ~~FOUR~~ THREE SHIP LINE ABREAST FORMATION. WHEN ON STATION THE GUIDE WILL BEAR 270° DISTANCE 3000YDS 1850 ON STATION. 1853 C/C 270°T 1859 THIS SHIP IS GUIDE. 1903 C/C 000°T BY CORPEN MOVEMENT. ~~USS BLACKWOOD DEPARTED~~ RZ USS HANK IS GUIDE. 1914 PROCEEDING ON VARIOUS COURSES AT VARIOUS SPEEDS TO STATION FOR ECM EXERCISE. WHEN ON STATION GUIDE WILL BEAR 270°T DISTANCE 6000YDS. 1955 ON STATION BASE COURSE 180°T SPEED 12.

R. Zaragenga
R. ZARAGENGA ~~LT USNR-R~~ RZ
LT USNR-R

20-24 Steaming as before. Commenced Z-12-CM exercise. 2200 Completed Z-12-CM exercise. 2213 Manouvering to take station THREE in a column formation, base course 000, base speed 10 knots. Guide is U.S.S. SNOWDEN. When on station guide will bear 000, distance 1,000 yards. 2253 On station. 2300 U.S.S. ~~Blackwood~~ BLACKWOOD assumed station ONE. This ship assumed station FOUR. Guide bears 000, distance 1,500 yards. CTU 178.4.3 in U.S.S. BLACKWOOD assumed duties of OTC. 2322 U.S.S. BLACKWOOD signaled engineering casualty. This ship veered to port and then paralled base course. 2328 Assumed Station THREE in a column formation, base course 000, base speed 10 knots. Guide is U.S.S. SNOWDEN. When on statin guide will bear 000, distance 1,000 yards. 2350 Change formation course to 270.

W. P. Kuehl
LT. USNR-R

APPROVED: J. J. Perro CDR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION _____ DATE MONDAY (Day) 15 (Date) JUNE (Month), 1964

AT/PASSAGE FROM PHILADELPHIA, PA. TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	204	17	8	SCT	30.09	80	78	1	3000	CU	82	200	3
02	200	11	8	SCT	30.09	80	78	3	3000	CU	82	200	2
03	210	11	8	SCT	30.09	80	78	5	3000	CU	82	210	2
04	045	9	8	SCT	30.10	81	77	2	2000	CU	81	225	2
05	198	8	8	SCT	30.10	80	77	2	2000	CU	80	235	2
06	207	15	8	SCT	30.09	82	77	4	4000	AC	80	235	4
07	170	25	8	SCT	30.10	82	78	5	4000	AC	82	235	5
08	225	16	8	SCT	30.12	82	77	5	4000	AC	82	250	3
09	225	10	8	SCT	30.13	83	77	3	3000	ST	82	250	3
10	235	8	8	CLR	30.12	84	79	CLR	—	—	84	285	2
11	278	6	8	CLR	30.13	86	80	CLR	—	—	84	260	3
12	295	5	8	CLR	30.13	86	80	CLR	—	—	84	260	3
13	200	14	8	CLR	30.10	86	81	CLR	—	—	83	250	3
14	205	14	8	CLR	30.06	85	80	CLR	—	—	82	180	2
15	180	11	8	SCT	30.05	85	80	2	3000	CU	82	190	2
16	182	12	8	SCT	30.05	86	80	2	10000	CI	83	245	4
17	191	12	8	SCT	30.04	85	80	2	10000	CI	84	240	4
18	160	12	8	SCT	30.02	85	80	2	10000	CI	82	225	4
19	205	15	8	SCT	30.02	85	80	2	10000	CI	80	215	4
20	210	14	8	SCT	30.02	84	80	3	10000	CI	82	205	3
21	210	11	8	SCT	30.04	84	80	3	10000	CI	84	210	3
22	205	11	8	CLR	30.04	84	80	CLR	—	—	84	210	3
23	200	14	8	CLR	30.06	84	80	CLR	—	—	84	205	3
24	200	20	8	CLR	30.06	83	79	CLR	—	—	84	205	3

POSITION	ZONE	TIME
0800 L	34° 17' N	BY 2
λ	75° 19' W	BY 2
1200 L	33° 56' N	BY 2
λ	75° 40' W	BY 2
2000 L	33° 29' N	BY 2
λ	76° 34.7' W	BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 286.8

FUEL CONSUMED 0000-2400: 15423

REMARKS

00-04 Steaming in company with TASK Unit 178.4.3 in the VACAPES OP. AREA enroute from Philadelphia, Pennsylvania to Port Everglades Florida in accordance with COMNAVRESDIV 4ND 1 ORDER 6-64. This ship in Station 4 of a column formation. Formation course 000° speed 10 knots. SOPA is CTU 178.4.3 in USS BLACKWOOD (DE-219) USS SAMUEL N in station 2, is guide bearing 000° at 1000 yards. Conditions of readiness 4 and Material Condition Yoke set. 0005 G/C 260. 0015 G/C 225°. 0102 Assumed station 4 in a diamond formation. R/C 225° @ 5/10 kts. Guide is USS BLACKWOOD in Station 1 bearing 225° at 1500 yds.

R H Gerwin
LTJG USNR-R

APPROVED:
J J Pierro CDR U. S. N. COMMANDING

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MONDAY (Day) 15 (Date) JUNE (Month), 1964

04-08 STEAMING AS BEFORE. 0745 MUSTERED THE CREW AT QUARTER, ABSENTEES NONE.

R.J. Bogle
R. J. BOGLE
LTJG USNR-R

08-12 STEAMING AS BEFORE. 0813 STOPPED PORT SHAFT. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. 1024 EXERCISED THE CREW AT CONDITION 1AS. STEERING VARIOUS COURSES AT VARIOUS SPEED WHILE DOING ASW DRILLS 1140 SECURED FROM 1AS COURSE 225 SPEED 10 KTS. 1144 C/C TO 245 1150 C/C TO 350 1150 C/S TO 20 KTS 1152 C/C TO 240 1154 C/C TO 248 1158 C/C TO 025° C/S TO 15 KTS

HAK

R. Zaanenga
R. ZAANENGA
LT USNR-R

12-16 Steaming as before. 1208 C/C to 010° 1245 Exercised the crew at General Quarters. Commenced steering various courses at various speeds while conducting engineering casualty control exercises. 1517 Secured from General Quarters upon completion of engineering casualty control exercises. Set course 220°, speed 15 kts. 1544 C/C 240° 1545 Lighted superheaters under boilers #2 and #4 1547 C/C to 260° C/S to 10 kts.

W. C. Buehl
LT, USNR-R

16-18 STEAMING AS before. 1551 C/C to 230°T. 1555 C/C to 240°. 1558 C/C to 250°T. 1600 SET CONDITION 1AS FOR ASW EXERCISES. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING ASW drills. 1632 Fired H/H to STARBOARD. 1637 Fired H/H to Stbd. 1642 Fired H/H to Stbd. TOTAL MINIATURE H/H expended, 4 MK. 12 MINIATURES. 1648 SECURED from 1AS. MANEUVERING AT VARIOUS COURSES AND SPEEDS while staying WITHIN VISUAL SIGNALING DISTANCE of USS BLACKWOOD (DE-299) 1750 USS HANK ASSUMES tactical control of this vessel and USS SNOWDEN (DE-246). MANEUVERING AT VARIOUS COURSES AND SPEEDS to TAKE STATION No 3 IN FORM 1. B/C 235 C/S 10 KTS. USS HANK IN STATION #1. USS SNOWDEN IN STATION #2

R. H. Gerlach CTR/USNR-R

18-20 STEAMING AS BEFORE. 1850 USS SNOWDEN COMMENCED APPROACH RIG ON USS HANK FOR LIGHT LINE TRANSFER. 1915 LIGHT LINE

APPROVED: J. J. Curto CDR U. S. N. COMMANDING

EXAMINED: John Kerr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD 629 — MONDAY (Day) 15 (Date) JUNE (Month), 19 64

TRANSFER COMPLETED. 1919 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO ASSUME STATION 3 IN DELTA FORMATION, USS HANK IN STATION 1, USS SNOWDEN IN STATION 2. 1934 ON STATION 3, FORMATION DELTA, BASE COURSE 235 SPEED 10.

R J Bogle
R. J. BOGLE
LTJG USNR-R

20-24 STEAMING AS before IN STATION 3 IN Delta formation, USS HANK IN STATION 1, USS SNOWDEN IN STATION 2, BASE COURSE 235 Speed 10. 2131 while working on MOUNT 33 DICKSON ALBERT JR 472-31-30 GM&3, Received LACERATIONS of mid forehead when A cover he was securing, SLIPPED AND HIT his head. DICKSON Received TREATMENT from The Ships' CORPSMAN. DISPOSITION: RETURNED TO DUTY. 2240 INCREASED speed TO 13 KNOTS. 2330 USS Blackwood (DD-246) ordered TO STATION four IN DELTA FORMATION. 2335 USS BLACKWOOD ON STATION AND ASSUMES OTC.

R. Zaayenga
R. ZAAYENGA

LT USNR.

APPROVED: J. J. Rooney COR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION Q DATE TUESDAY (Day) 16 (Date) JUNE (Month), 1964

AT/PASSAGE FROM Philadelphia, Pennsylvania TO Port Everglades, Florida

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	202	26	8	CLR	30.06	83	78	CLR	—	—	84	210	3
02	200	25	8	CLR	30.06	83	78	CLR	—	—	83	210	3
03	202	25	8	CLR	30.06	83	78	CLR	—	—	83	210	3
04	174	27	8	CLR	30.06	83	78	CLR	—	—	83	235	3
05	158	24	8	CLR	30.06	83	78	CLR	—	—	81	235	3
06	179	25	8	CLR	30.04	82	79	CLR	—	—	81	235	3
07	186	25	7	SCT	30.08	84	79	2	10,000	CI	82	235	3
08	200	20	7	SCT	30.10	84	79	3	4000	ST	81	230	3
09	190	18	7	SCT	30.10	84	79	1	4000	ST	82	210	3
10	210	20	7	SCT	30.11	84	79	2	3000	CU	82	210	3
11	205	16	7	SCT	30.10	84	79	2	5000	ST	82	215	3
12	202	14	7	SCT	30.10	85	79	2	10000	CI	82	220	3
13	200	10	7	SCT	30.10	85	79	2	10000	CI	82	220	3
14	226	15	7	SCT	30.10	85	79	3	10000	CI	83	230	3
15	200	16	7	SCT	30.08	85	79	2	10000	CI	81	230	3
16	180	19	7	SCT	30.06	85	80	2	10000	CI	80	230	3
17	245	15	7	SCT	30.04	85	80	2	10000	CI	82	210	3
18	276	19	7	SCT	30.06	86	80	2	10000	CI	82	210	3
19	157	9	8	SCT	30.06	85	79	4	6000	AC	82	220	3
20	160	8	8	SCT	30.06	84	79	4	6000	AC	82	210	3
21	162	10	8	SCT	30.06	82	77	4	6000	AC	81	180	3
22	165	9	8	SCT	30.08	83	79	3	6000	AC	83	180	2
23	160	8	8	SCT	30.08	83	79	5	6000	AC	82	185	2
24	165	10	8	SCT	30.10	83	79	2	3000	CU	82	180	2

POSITION	ZONE	TIME
0800 L 32° 24' N	BY	2
λ 78° 25' W	BY	2
1200 L 32° 30' N	BY	2
λ 78° 37' W	BY	2
2000 L 32° 06' N	BY	2
λ 78° 57' W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 319.0

FUEL CONSUMED 0000-2400: 13017

REMARKS

0g-04 Steaming in company with Task Unit 178.4.3 enroute from Philadelphia, Pennsylvania to Port Everglades, Florida in accordance with ComNavResDivDE Div 4ND Op-Order 6-64. This ship is station three of a diamond formation on base course 235°, speed 16 kts. The USS HANK (DD-702) is formation guide in station one, bearing 190° at 4,000 yds with the USS Snowden (DE-246) in station two and USS Blackwood (DE-219) in station four. The Engineering plant is CVDT connected on number two boiler and number one generator. Readiness condition IV and material condition YOKE modified are set. The OTC is CTU 178.4.3 in USS Blackwood (DE-219) 0442 USS BLACKWOOD (DE-219) Assumed formation guide bearing 097, distance 4,000 yds. 0315 Lit fires under #4 boiler.

W. C. Kuck
LT, USNR-R

APPROVED: _____ COR U. S. N. COMMANDING

EXAMINED: _____ LCDR U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
1A 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DDG629) TUESDAY (Day) 16 (Date) JUNE ~~MAY~~ (Month) YR. 19 64

04-08 STEAMING AS before. 0516 Maneuvering to prepare for highline transfer with USS HANK (DD-702). 0525 C/C 235 C/S 10 KTS. 0620 USS HANK MAKING approach to our Stbd side for high line transfer. 0623 First light line rec- RHB ceived. 0713 Completed highline transfer. C/C 057° C/S 18 KTS.

R A Gerwick
CTG/USNR-R

08-12 STEAMING AS BEFORE. 0746 C/C 040 0813 C/S 15 KNOTS. 0817 MANEUVERING TO TAKE LIFE GUARD STATION 1000 YARDS ASTERN USS BLACKWOOD, BASE COURSE 215, BASE SPEED 10 KNOTS. 0853 ON STATION 0932 COMPLETED LIFE GUARD DUTIES. SET COURSE 020 SPEED 18 KNOTS TO RENDEZVOUS WITH USS HANK 1012 RENDEZVOUSED WITH USS HANK. MANEUVERING TO MAINTAIN STATION 1000 YARDS ON HANK'S PORT QUARTER. 1047 MANEUVERING FOR HIGH LINE WITH USS HANK, BASE COURSE 020, BASE SPEED 12 KNOTS. 1117 COMMENCED HI-LINE TRANSFER. 1142 COMPLETED HI-LINE TRANSFER, SET COURSE 028 SPEED 18 KNOTS FOR RENDEZVOUS WITH USS SNOWDEN.

R J Bogle
R. J. BOGLE
LTJG USNR

12-16 STEAMING AS BEFORE, 1202 C/C TO 10 KTS. SET CONDITION 1AS. 1206 C/C TO 170. 1211 C/C TO 270. 1213 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONDUCT ASW EXERCISES, 1220 SECURED CONDITION 1AS SET COURSE 170. SPEED 15KTS. 1225 C/C TO 100. 1225 C/S TO 10KTS. ~~1227~~ 1245 C/C TO 260. 1246 C/S TO 15KTS 1255 C/S TO 10KTS. C/C TO 210, 1257 C/C TO 100, 1302 C/S TO 15 KTS. 1305 C/C TO 250. 1313 C/C TO 270. 1315 C/C TO 190. C/S TO 10KTS. 1317 C/C TO 170. 1320 C/S TO 15 KTS. 1322 C/C TO 180. 1323 C/C TO 230 1325 C/S TO 10 KTS. 1335 C/S TO 8 KTS, 1335 C/C TO 240. 1340 MANEUVERED TO ~~STANDBY~~ LIFEGUARD STATION ASTERN OF SNOWDEN AND BLACKWOOD. 1428 SNOWDEN CAST OFF FROM BLACKWOOD AND MANEUVERED CLEAR. 1428 MANEUVERED TO KEEP CLEAR. C/S TO 10 KTS. 1430 WENT TO GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA. 1430 COMMENCED ENGINEERING BASIC DAMAGE CONTROL EXERCISE. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEED WHILE AT GENERAL QUARTERS. 1539 SET MATERIAL CONDITION YOKE, 1550 SECURED FROM GENERAL QUARTERS, 1552 C/C TO 270. 1553 C/C TO 260. 1555 C/S TO 15 KTS.

R. Zaragoza
LT USNR-R

APPROVED: J J Perro COR U. S. N. COMMANDING

EXAMINED: J R McKee LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abbo ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) TUESDAY, 16 JUNE 19 64,
(Day) (Date) (Month)

16-18 STEAMING AS BEFORE. 1604 c/s to 10 KNOTS. 1615 c/c to 020. 1629 c/c to 020. 1631 c/c to 000. 1633 c/c to 001, 1637 c/c to 000. 1652 c/c to 060. 1654 c/s to 15 KNOTS. 1720 c/c to 030. 1721 c/s to 10 KNOTS. 1738 c/s to 20 KNOTS. 1742 c/c to 060. 1749 c/c to 065. * 1745 STATION THE HIGH LINE DETAIL FOR PERSONNEL TRANSFER

W. C. Kuehl
W. C. KUEHL,
LT, USNR

* LATE ENTRY

Pg 8

18-20 STEAMING AS BEFORE 1809 c/c 220°T c/s TO 12 KTS. 1814 c/s TO 5 KTS. 1818 c/s TO 12 KTS. 1837 USS HANK COMMENCED APPROACH TO STBD. BASE COURSE 220°T BASE SPEED 12 KTS. 1844 FIRST LINE OVER TO USS HANK 1913 ALL LINES CLEAR TO STARBOARD. 1913 USS HANK CLEAR TO STBD. 1935 c/c TO 210°T 1939 c/s 10 KTS.

R H Guzman
R H GUZMAN
MR 66 USNR-R

20-24 STEAMING AS BEFORE. 2000 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO TAKE STATION 4 IN DIAMOND FORMATION. 2017 ASSUMED STATION 4 IN DIAMOND FORMATION, USS BLACKWOOD IN STATION 1, USS SNOWDEN IN STATION 2, USS HANK IN STATION 3, BASE COURSE 140, BASE SPEED 10

R J Bogle
R. J. BOGLE
LT.JG. USNR-R

APPROVED:

J J Perro CDR
U. S. N. COMMANDING

EXAMINED:

John R Lyon LCDR
U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5 Q DATE WEDNESDAY (Day) 17 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA, PA. TO FORT LAUDERDALE, FA.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	189	15	8	SCT	30.09	83	78	4	3500	ST	84	185	2
02	196	13	8	SCT	30.08	83	78	5	3500	ST	84	190	2
03	190	15	8	SCT	30.07	83	78	5	3500	ST	84	190	2
04	178	29	8	SCT	30.07	83	78	6	2000	CU	84	200	4
05	191	27	8	SCT	30.08	83	78	6	2000	CU	84	200	4
06	188	23	8	SCT	30.08	83	78	7	2000	CC	84	230	5
07	215	20	8	SCT	30.10	83	79	8	2000	AS/CU	81	230	5
08	210	20	8	SCT	30.10	82	78	8	2000	CU	80	230	5
09	270	21	8	SCT	30.12	82	78	3	10000	CI	83	230	5
10	250	18	8	SCT	30.12	82	78	4	8000	CI	83	230	5
11	200	16	8	SCT	30.12	83	79	6	6000	ST	82	230	4
12	100	10	8	SCT	30.12	83	79	8	5000	ST	82	230	3
13	200	10	8	SCT	30.10	85	82	8	3500	CU	82	230	3
14	210	11	8	SCT	30.16	86	80	7	2000	CU	82	255	3
15	203	13	8	CLR	30.15	87	81	6	3000	CU	82	230	3
16	148	14	8	CLR	30.13	87	83	CLR	—	—	84	225	3
17	160	11	8	CLR	30.12	87	80	CLR	—	—	83	200	2
18	270	10	8	SCT	30.12	88	80	CLR	—	—	83	220	2
19	200	13	8	SCT	30.10	85	80	3	6000	AC	84	220	2
20	200	14	8	SCT	30.09	84	79	3	5000	AC	84	220	2
21	230	14	8	SCT	30.10	83	79	8	5000	AC	84	240	2
22	235	16	8	SCT	30.12	83	79	4	5000	AC	84	230	2
23	240	17	8	SCT	30.13	83	78	4	5000	AC	85	230	2
24	320	11	7	RAIN	30.12	84	80	6	5000	AC	84	230	2

POSITION	ZONE	TIME
0800 L 30°34.9'N	BY	2
λ 78° 17.7' W	BY	2
1200 L 30° 38' N	BY	2
λ 78° 24.5' W	BY	2
2000 L 30° 24' N	BY	2
λ 79° 10' W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
270.5

FUEL CONSUMED 0000-2400
20720

REMARKS

ØØ-Ø4 STEAMING IN COMPANY WITH TASK UNIT 178.4.3, COMPOSED OF ~~HAR~~ NAVIES DE DIV 4 NO, ENROUTE FROM JAX PHILADELPHIA, PENNSYLVANIA TO FORT LAUDERDALE, FLORIDA, IN ACCORDANCE WITH COMNAVIES DE DIV 4 NO OP-ORDER 6-64. THIS SHIP IN STATION #4 IN DIAMOND FORMATION. FORMATION COURSE 14Ø°, SPEED 1Ø KNOTS. SOPA AND OTC IS CTU 178.4.3 IN USS BLACKWOOD (DE29) BLACKWOOD IS GUIDE BEARING 14Ø°, DISTANCE 15ØØ YDS CONDITION OF READINESS II AND MATERIAL CONDITION YOKE ARE SET. BOILER #4 CROSS-CONNECTED WITH SUPERHEAT IS ON THE LINE. BOILER #2 IS ON 1/2 HOUR STANDBY. GENERATOR #2 IS ON THE LINE. GENERATOR #1 IN STANDBY STATUS. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO MAINTAIN STATION. Ø2ØØ C/S TO 9 KTS FOR BT DROP. Ø2Ø8 COMPLETED BT DROP. NO CASUALTIES.

APPROVED:

COR U. S. N. COMMANDING

EXAMINED:

LCDR U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WEDNESDAY (Day) 17 (Date) JUNE (Month) 19 64

ØØ-Ø4 (CON'T) C/S TO 13 KTS. ØØ12 REGAINED STATION. C/S TO 1Ø KTS. MANEUVERING AT ON VARIOUS COURSES AT VARIOUS SPEEDS TO MAINTAIN STATION. Ø3ØØ USS HANK (DD 7Ø2) IS THE GUIDE. Ø3Ø3 C/C TO 23Ø°

John M. Kelleher
JOHN M. KELLEHER
LTJG USN

Ø4-Ø8 STEAMING AS BEFORE. Ø543 LIGHTED FIRES UNDER NUMBER 2 BOILER. Ø62Ø NUMBER 2 BOILER PLACED ON THE LINE. Ø745 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE

J M Cooper
2LT USN

Ø8-12 STEAMING AS before. Ø813 C/C 27Ø° C/S 17 KTS. Ø814 MANEUVERING AT VARIOUS COURSES AND SPEEDS. Ø815 WENT TO GENERAL QUARTERS. Ø82Ø SET CONDITION ZEBRA. Ø845 SET CONDITION YOKE. Ø855 SECURED FROM GENERAL QUARTERS. Ø93Ø WENT TO GENERAL QUARTERS. SET CONDITION ZEBRA. 1Ø55 SET CONDITION YOKE. 1111 SECURED FROM GENERAL QUARTERS. 1127 MANEUVERING AT VARIOUS COURSES AND ~~VARIOUS~~ SPEEDS while conducting 7-13CC EXERCISE. AND ~~MANEU~~ TACTICAL drills WITH other UNITS of TU 178.4.3.

R H Groman
LTJG/USNR-R.

12-16 STEAMING AS BEFORE. 1223 SECURED FROM TACTICAL DRILLS. MANEUVERING TO ASSUME STATION 4, COLUMN FORMATION, 2000 YARD INTERVALS, USS BLACKWOOD IS GUIDE IN STATION 1, USS SNOWDEN IN STATION 2, USS HANK IN STATION 3. BASE COURSE 260, BASE SPEED 10. 1300 EXERCISED THE CREW AT GENERAL QUARTERS (CONDITION 1AA). 1306 SET MATERIAL CONDITION ZEBRA. 1325 COMMENCED FIRING AA BURSTS TO STARBOARD. 1420 CEASED FIRE. SET MATERIAL CONDITION YOKE. 1424 SECURED FROM GENERAL QUARTERS. AMMUNITION EXPENDED: 46 ROUNDS 5" VTNF, 5 ROUNDS 5" AAA, 51 ROUNDS SPDN POWDER, 37 ROUNDS 3" VTNF.

R J Bogle
R. J. BOGLE
LTJG USNR-R

16-18 STEAMING AS BEFORE. 1605 MANUEVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING TACTICAL MANUEVERING EXERCISES. 1747 COMPLETED TACTICAL MANUEVERING EXERCISES. SET COURSE 090°

APPROVED: J J Peppe CDR U. S. N. COMMANDING

EXAMINED: J R Ryder LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD-629 WEDNESDAY (Day) 17 (Date) JUNE (Month), 19 64

16-18 (CON'T) SPEED 10 KTS. STEAMING IN COLUMN REVERSE ORDER OF SEQUENCE NUMBERS WITH DOUBLE STANDARD DISTANCE. THIS SHIP IS GUIDE IN STATION #1.

R. Zaayenga
LT USNR-R

18-20 STEAMING AS BEFORE. 1842 4/5 to 12 kts 1873 Secured fires under #4 boiler. 1844 C/C to 260° 1846 Commenced making all preparations for a light line transfer with the USS BLACKWOOD (DE-219). 1853 USS Blackwood (DE-219) came along stbd quarter to effect light line transfer. 1910 All lines clear. Secured the light line transfer detail. 1951 Set all ships clocks back one hour to conform with +6 Romeo time zone.

W. C. Kuehl
W.C. KUEHL
LT., USNR-R

KUEHL

20-24 STEAMING AS BEFORE. 2040 USS ENGLISH (DD696) JOINED FORMATION IN STATION 5. 2239 ABBOT DESIGNATED GUIDE.

R. H. Gwinn
R. H. GWINN
LT JG USNR-R

APPROVED: J. J. Rooney CDR U. S. N. COMMANDING

EXAMINED: John Ren CDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD 629 ZONE DESCRIPTION R DATE THURSDAY (Day) 18 (Date) JUNE (Month), 1964

AT/PASSAGE FROM PHILADELPHIA, PA. TO PORT EVERGLADES, FLORIDA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	310	10	7	R/W	30.12	84	80	6	5000	AC	84	230	2
02	359	15	7	R/W	30.11	81	76	3	5000	AC	82	CA	m
03	225	10	7	O/C	30.10	80	74	8	8000	AC	82	CA	m
04	035	10	7	S/CT	30.10	82	76	2	4000	AC	80	CA	m
05	103	9	7	S/CT	30.11	81	77	1	4000	AC	83	CA	m
06	067	9	7	S/CT	30.11	82	79	1	4000	AC	84	CA	m
07	215	15	7	S/CT	30.14	85	80	2	10000	CI	83	CA	m
08	150	6	7	S/CT	30.15	85	80	2	10000	CI	82	CA	m
09	148	4	7	S/CT	30.16	88	81	3	9000	CI	82	CA	m
10	140	4	7	S/CT	30.18	89	81	3	6000	AC	82	CA	m
11	140	9	7	S/CT	30.19	90	81	7	5000	AC	82	CA	m
12	145	8	7	S/CT	30.20	90	80	7	5000	AC	82	CA	m
13	010	5	7	S/CT	30.20	88	81	8	6000	AC	83	CA	m
14	160	4	7	S/CT	30.18	88	81	8	5000	AC	84	CA	m
15	165	6	8	S/CT	30.19	92	88	4	5000	AC	85	CA	m
16	160	7	8	S/CT	30.17	90	86	4	5000	CU	85	CA	m
17	155	5	8	S/CT	30.15	88	84	6	5000	CU	85	CA	m
18	260	16	8	S/CT	30.12	86	80	7	5000	AC	85	CA	m
19	170	6	8	S/CT	30.15	85	80	4	5000	AC	83	CA	m
20	145	11	8	S/CT	30.16	83	80	4	5000	AC	82	CA	m
21	140	10	8	S/CT	30.16	83	79	3	10000	CI	82	CA	m
22	150	12	8	S/CT	30.20	83	79	6	15000	CI	82	CA	m
23	152	13	8	S/CT	30.20	82	78	5	15000	CI	82	CA	m
24	146	16	8	S/CT	30.19	82	78	2	5000	CU	82	CA	m

POSITION	ZONE	TIME
0800 L	30° 39' N	BY 2
λ	80° 43' W	BY 2
1200 L	30° 34' N	BY 2
λ	81° 00' W	BY 2
2000 L	30° 29' N	BY 2
λ	81° 36' W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 263.3

FUEL CONSUMED 0000-2400: 11436

REMARKS

00-04 STEAMING IN COMPANY WITH TASK UNIT 178.4.3 IN THE JACKSONVILLE OP-AREA ENROUTE PORT EVERGLADES, FLORIDA FROM PHILADELPHIA, PENNSYLVANIA, IN ACCORDANCE WITH COMNAVRESDIV 4 ND OP-ORDER 6-64, THIS SHIP IS GUIDE IN STATION 2 OF A COLUMN OPEN ORDER FORMATION. FORMATION COURSE 320 SPEED 10 KNOTS. OTC IS CTU 178.4.3 IN USS BLACKWOOD (DE-219). CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. 0055 USS HANK (DD 702) ASSUMED GUIDE BEARING 324, 1000 YARDS. 0132 C/C 050 0147 C/C 320 0159 C/C 270 0210 C/C 215

R.J. BOYLE
LTJG USNR-R

04-08 STEAMING AS BEFORE. 0610 C/C 235 0745 MUSTERED THE CREW AT QUARTERS: ABSENTEES: NONE

R. ZAAYENGA
R. ZAAYENGA
LT USNR-R

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) THURSDAY (Day) 18 (Date) JUNE (Month), 19 64

08-12 Steaming as before. Steering various courses at various speeds while conducting Divisional Tactics. 0945 Made daily inspection of all magazines and smokeless powder samples; conditions normal. 0929 secured from Divisional Tactics. ON course 080, speed 10 knots. This ship is guide in a column formation. 0934 Maneuvering to take station Two in a column formation, base course 080, base speed 10 knots. When on station the guide will bear 080, distance 2,000 yards. 0952 changed formation course to 180. 1009 Exercised the crew at general quarters. Set condition 1AA, material condition ZEBRA. 1010 Commenced Gunnery Exercise. 1015 Commenced firing to starboard. 1057 Ceased fire. 1100 Set material condition YOKE and condition of readiness III. 1106 Secured from general quarters. Ammunition expended: 8 rounds of 5"/38 cal VT(NF) projectiles and 8 rounds 5"/38 cal SPDN powder and 15 rounds of 3"/50 cal VT(NF) projectiles with no casualties. 1130 Changed formation course to 270. 1133 Changed formation course to 000.

W. C. Kuehl
LT, USNR-R

12-16 STEAMING AS BEFORE. 1238 C/S 12KTS 1241 C/S 10KTS 1242 C/S 5KTS MANUVERING VARIOUS COURSES AND SPEED'S WHILE MAKING BOAT TRANSFER WITH USS HANK DD 702 1333. TRANSFER COMPLETED. 1335 C/S 10KTS C/C 140 1338 C/C 150 1340 C/S 12KTS 1342 C/C 210 1346 C/S 5KTS 1348 C/S 10KTS 1353 C/S 5KTS 1358 C/S 6KTS 1400 C/S 7KTS 1412 EXERCISED THE CREW AT GENERAL QUARTERS 1417 CONDITION ZEBRA SET BASE COURSE 135 BASE SPEED 5KTS FOR FIRING OF Z-3-G EXERCISE. 1525 COMMENCED FIRST FIRING RUN 1541 EXERCISE COMPLETED ALL BORES CLEAR

A. Stefenaage
G. STEFENCAMAGE
LTJG USN

Stefenaage

16-18 STEAMING AS BEFORE. 1603 C/C TO 315° C/S TO 10 KNOTS. 1607 C/S TO 5 KNOTS. 1612 SET MATERIAL CONDITION YOKE. 1619 SECURED FROM Z-3-G EXERCISE. SECURED FROM GENERAL QUARTERS. 1700 HANK IS OTC. BLACKWOOD AND SNOWDEN ARE DETATCHED PROCEEDING JOINTLY TO MIAMI, FLA.

R. Zaayenga
LT USNR-R

18-20 STEAMING AS BEFORE. 1805 USS HANK ASSUMED GUIDE, IN STATION 1 OF A COLUMN FORMATION ON COURSE 180, SPEED 10 KNOTS. 1817 C/C 160 C/S 20 KNOTS. 1935 C/C 165

R. J. Bogle
R. J. BOGLE
LTJG USNR

APPROVED: J. J. Petro CDR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) THURSDAY (Day) 18 (Date) JUNE (Month) 19 64

(CONT)
2Ø-24 STEAMING AS BEFORE. 2344 CHANGED FORMATION
COURSE TO 14Ø° 2352 C/C TO 165°

W. C. Kuehl
W. C. KUEHL
LT. USNR-R

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4R DATE FRIDAY (Day) 19 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM PHILADELPHIA, PA. TO PORT EVERGLADES, FLA.

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	146	15	8	S_{CT}	30.19	80	78	2	3000	CU	82	CALM	
02	148	14	8	S_{CT}	30.18	80	78	2	3000	CU	82	CALM	
03	150	13	8	S_{CT}	30.16	80	78	1	3000	CU	82	CALM	
04	145	6	8	S_{CT}	30.16	81	78	1	2000	CU	85	135	1
05	150	6	8	S_{CT}	30.16	82	78	1	2000	CU	85	135	1
06	150	6	8	S_{CT}	30.17	83	78	1	2000	CU	85	135	1
07	145	5	8	S_{CT}	30.18	85	78	1	2000	CU	85	135	1
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 168.4

FUEL CONSUMED 0000-2400: 15279

U.S.S. WOODROW WILSON
DDG 7
COPY

REMARKS

00-04 STEAMING IN COMPANY WITH USS HANK (DDR 702) AS A MEMBER OF TASK UNIT 178.4.3, COMPOSED OF COMNAVRESDIV 402, ENROUTE FROM PHILADELPHIA, PENNSYLVANIA TO PORT EVERGLADES, FLORIDA, IN ACCORDANCE WITH COMNAVRESDIV 402 OP-ORDER 6-64. THIS SHIP IN STATION #2 OF A COLUMN FORMATION. FORMATION COURSE 165° SPEED 20 KTS. SOPA AND OTC IS COMMANDING OFFICER, HANK. HANK IS GUIDE BEARING 165° DISTANCE 1,000 YDS. ~~USS BA~~ USS BLACKWOOD (DE 245) AND USS SWINDEN (DE 246) HAVE BEEN DETACHED TO PROCEED TO MIAMI BEACH, FLORIDA. CTU 178.4.3 IN BLACKWOOD. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. BOILERS #2 AND #4 WITH SUPERHEAT AND GENERATORS #1 AND #2 ARE ON THE LINE. 0025 C/C TO 168° BY COMPASS. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION.

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) FRIDAY (Day) 19 (Date) JUNE (Month), 1964

00-04 (CON'T) Ø244 C/C TO 175° TO BLOW TUBES Ø3ØØ REGAINED STATION

John M. Kelleher
JOHN M KELLEHER
LTJG USN

04-08 STEAMING AS BEFORE. 0409 C/C 155° 0415 SIGHTED JUPITER INLET LIGHT BEARING 209°, 20 MILES. 0445 C/C 170° 0505 JUPITER INLET LIGHT ABEAM TO STARBOARD, 14 MILES. 0517 C/C 196 0600 C/C 180° 0608 C/C 196° 0712 C/C 182° 0744 C/C 195°

R.J. Bogle
R. J. BOGLE
LTJG USNR-R

08-12 STEAMING AS BEFORE 0801 STATIONED SPECIAL SEA DETAIL. OOD COMNING. CAPTAIN AND NAVIGATOR ON THE BRIDGE. DRAFT: FWD 12 FT 8 IN., AFT 12 FT 7 IN. 0809 C/C 199 C/S 10 KTS 0812 C/S 5 KTS. 0814 C/C 270 RZ ENTERED INLAND WATERS. 0816 C/S 10 KTS. 0826 PILOT BOAT CAME ALONGSIDE STARBOARD QUARTER. PILOT M. A. HAIRSTON CAME ABOARD. 0827 CAST OFF PILOT BOAT. 0828 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO PORT EVERGLADES CHANNEL. 0845 LOWERED MOTORWHALEBOAT TO THE WATER AND CAST IT OFF. PILOT TOOK THE CONN. 0906 MANUEVERING TO ENTER ASSIGNED BERTH. 0913 MOORED PORT SIDE IN BERTH 14, TO THE HANK PIER 3, PORT EVERGLADES, FLA. WITH STANDARD MOORING LINES DOUBLED. RECEIVING WATER AND RZ TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, AND LOCAL SERVICE CRAFT. SOPA IS COMMANDING OFFICER, USS HANK 0925 PILOT LEFT THE SHIP. 1015 PURSUANT TO ORDERS OF THE COMMANDING OFFICER, LTJG L. K. BITTLE 644547 IN CHARGE OF THREE MEN LEFT THE SHIP TO REPORT TO SENIOR SHORE PATROL OFFICER, FORT LAUDERDALE, FLA., FOR TEMPORARY DUTY. 1115 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R. Zaayenga
LT USNR-R

12-16 MOORED AS BEFORE

R. Zaayenga
LT USNR-R

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD-629 FRIDAY ~~THURSDAY~~ 19 JUNE, 1964
(Day) (Date) (Month)

16-18 MOORED AS BEFORE.

R. Zaragoza
LT USNR-R

18-20 MOORED AS BEFORE.

R. Zaragoza
LT USNR-R

20-24 MOORED AS BEFORE.

R Zaragoza
LT USNR-R

APPROVED:

[signature] CDR U. S. N. COMMANDING

EXAMINED:

[signature] LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION R DATE SATURDAY (Day) 20 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM PORT EVERGLADES, FLA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED ~~PORT~~ PORT SIDE TO USS HANK (DD 702) WITH STANDARD MOORING LINES IN A NEST OF 2 DESTROYERS USS HANK IS INBOARD MOORED TO PIER 3 PORT EVERGLADES FLORIDA. SHIPS PRESENT INCLUDE VARIOUS MERCHANT VESSELS. NO. 2 BOILER IS ON THE LINE FOR AUXILARY PURPOSES RECIEVING VARIOUS SERVICES FROM THE PIER. SOPA IS C.O. USS HANK.

R. Zaagsma
LT USNR-R

04-08 MOORED AS BEFORE.

R. Zaagsma
LT USNR-R

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SATURDAY (Day) 20 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0920 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY.

N J SHACKELTON JR.
ENS USN

12-16 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

16-20 MOORED AS BEFORE

N J SHACKELTON JR.
ENS USN

20-24 MOORED AS BEFORE.

N J SHACKELTON JR.
ENS USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

C

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE SUNDAY (Day) 21 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ FORT LAUDERDALE, FLORIDA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS USOPA USS HANK (DD 702)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORTSIDE TO USS HANK (DD 702) WITH STANDARD MOORING LINES DOUBLED AT PIER 3 FORT EVERGLADES, FLORIDA, IN A NEST OF TWO SHIPS; IN ORDER OUTBOARD FROM THE PIER: HANK AND ABBOT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS CO HANK.

A. Shacklett Jr.
W S SHACKLETON JR.
ENS USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

A. Shacklett Jr.
W S SHACKLETON JR.
ENS USN

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) SUNDAY (Day) 21 (Date) JUNE (Month), 1964

0800-1200 Moored as before; 0940 Made daily inspections of magazines and Smokeless powder samples; conditions satisfactory

W. C. Kuehl
W. KUEHL
LT. USNR

1200-1600 Moored as before

W. C. Kuehl
W. KUEHL
LT. USNR

1600-2000 Moored as before

W. C. Kuehl
W. KUEHL
LT. USNR

2000-2400 Moored as before

W. C. Kuehl
W. KUEHL
LT. USNR

APPROVED: J. J. Sirro CDR U. S. N. COMMANDING

EXAMINED: John K. Den LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ASHTABULA (AO 51) ZONE DESCRIPTION +5R DATE MONDAY (Day) 22 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ PORT EVERGLADES, ~~TO~~ FLORIDA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01													
02				SAME	AS	SOPA							
03													
04													
05			U. S. S.		HANK								
06													
07				(DD	702)								
08													
09													
10	105	9	10	SCT	30.16	83	78	6	2000	CU	84	170	1
11	075	5	10	SCT	30.14	84	78	3	2000	CU	84	185	1
12	140	4	10	SCT	30.12	84	78	6	2000	CU	84	190	1
13	070	4	10	SCT	30.11	86	84	6	2000	CU	85	070	1
14	045	8	10	SCT	30.10	87	80	3	2000	CU	85	045	2
15	050	10	10	SCT	30.10	87	80	3	2000	CU	85	045	2
16	050	8	10	SCT	30.10	87	80	3	2000	CU	85	045	2
17	050	8	10	SCT	30.10	85	78	3	2000	CU	82	045	2
18	050	7	10	SCT	30.10	85	78	3	2000	CU	83	045	2
19	065	6	10	SCT	30.11	83	78	3	2000	CU	84	065	2
20	060	6	10	SCT	30.11	83	78	3	2000	CU	84	030	2
21	055	6	10	SCT	30.12	81	76	6	2000	CU	82	050	2
22	060	6	10	SCT	30.13	80	71	6	2000	CU	82	055	2
23	065	6	10	SCT	30.14	80	71	7	2000	CU	82	060	2
24	043	2	10	SCT	30.14	80	76	6	2000	CU	82	065	2

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L 28[illegible]° 00'N		BY 2
λ 80°55'W		BY 2
2000		
L 28°22'N		BY 2
λ 79°02'W		BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 209.3

FUEL CONSUMED 0000-2400: 17407

REMARKS

ØØ-Ø4 Moored port side To USS HANK (DD 702) with STANDARD MOORING LINES Doubled AT Pier 3 FORT EVERGLADES FLORIDA, IN A NEST of Two SHIPS: IN ORDER OUT board from The pier: HANK & ABBOT, Receiving MISCELLANEOUS services from The pier. SHIPS PRESENT INCLUDE VARIOUS UNITS of The USS ATLANTIC fleet AND LOCAL Service CRAFT. SOPA is CO HANK

W. R. Kuehl
W. KUEHL
LT. USNR.

APPROVED: [signature] COR U.S. N. COMMANDING

EXAMINED: [signature] LCDR U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MONDAY 22 JUNE 19 64
(Day) (Date) (Month)

0400-0800 Moored as before.

W. P. Kuehl
W. Kuehl
LT. USNR.

0800-1200 Moored as before. 0800 Mustered the crew at Quaters. Absentees: NONE ~~WRIGHT, T.B., 353 53 87, MM2, USN, Absent without Authority Since 0700 this date.~~ 0800 Commenced preparations for getting underway. Set material condition yoke. 0800 Stationed the special sea detail. 0810 Completed all preparations for getting underway. Draft: forward 13 feet 3 inches, Aft 13 feet 7 inches. 0839 underway for Philadelphia, PA. as a unit of Task group 178.4.3 in compliance with ComNavResDiv 4ND 6-64. Maneuvering to clear the pier. Captain conning, Navigator on the Bridge. 0850 steering various courses at various speeds standing out of Fort Lauderdale Flordia. 0857 Brought the motor whale boat on board to port. 0902 Received Pilot boat along side starboard Quater. Mr. Shuman departed at this time. 0914 officer of the Deck was given the conn; secured the special sea detail, set the Regular steaming watch. 0918 Entered International waters. 1000 Exercised the crew at general Quaters. 1018 made daily inspections of magazines and smokeless powder samples; Conditions satisfactory. 1043 Engine Room Reports number one shaft Locked while conducting Engineering drills. 1045 Casualty Restored. 1110 Bridge lost steering control; control shifted to After steering. 1145 Steering contol restored to the bridge. 1217 Maneuvering to take station four in formation one, course 018, speed 18 knots. Guide is USS Blackwood (DE 519) in station one.

W. Kuehl
W. Kuehl
LT. USNR.

1200-1600 Steaming as before. 1201 C/L to 180°. 1202 C/C to 017°. 1213 C/S to 18 kts. 1214 C/S to 10 kts. 1215 C/S to 15 kts. 1217 C/S to 18 kts. 1217 Assumed station #4 in a column formation. ~~Guide~~ course 018° speed 18 kts. Guide is Blackwood Bearing 018° distance 1500 yds in station #1. 1314 Assumed station #3 in column. Guide bears 018° distance 1,000 yds. 1315 Snowden and Hank Released to conduct ISE. 1400 went to General Quarters for training. Set Material condition Zebra. 1431 This ship assumed Guide and maintaining pin at 018° speed 18 kts. Blackwood released to

APPROVED:
J. J. Ruta CDR U. S. N. COMMANDING

EXAMINED:
John R. Denk LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ARBOR (DD 874) MONDAY 22 JUNE 19 64
(Day) (Date) (Month)

12-16 (CONT) CONDUCT ISE. 1432 SET MATERIAL CONDITION YOKE. 1447 SECURED FROM GENERAL QUARTERS. 1500 C/C TO 028°. 1547 LIGHTED OFF SUPERHEATERS ON BOILERS #2 AND #3

John M. Kelleher
JOHN M. KELLEHER
LTJG USN

16-18 Steaming as before

R. H. Garner
LTJG USNR-R

~~18-20~~ Steaming as before. 1800 Commenced steering various courses & assume station #4 in a column formation on base course 028°, speed 15 kts. ~~USS Blackwood (DE-219) + USS Hank (DD 702) has proceeded on duties assigned.~~ USS SNOWDEN (DE 246) as is Guide in station #1, bearing 028°, 1500 yds with USS Blackwood (DE 219) in station #3. 1830 (about) USS Blackwood (DE-219) departed formation to conduct noise level tests.

W. C. Kuehl
W. C. KUEHL, JOAG-R

20-24 STEAMING AS BEFORE. 2104 C/S TO 14 KNOTS. 2105 C/S TO 12 KNOTS. 2107 C/S TO 10 KNOTS. 2125 C/S TO 15 KNOTS. 2126 C/S TO 17 KNOTS. BLACKWOOD RESUMED STATION, BEARING 028°, RANGE 500 YARDS, AND WAS DESIGNATED GUIDE. 2130 SNOWDEN DETACHED BY ~~178~~ CTU 178.4.3 TO PROCEED INDEPENDENTLY TO MAYPORT, FLORIDA. 2215 COMMENCED ELECTRONICS COUNTER MEASURES EXERCISE. MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE ACTING AS TARGET SHIP, ELECTRONICS COUNTER MEASURES EXERCISE. 2330 SECURED FROM ELECTRONICS COUNTER MEASURES EXERCISE. 2336 Set course 016, speed 17 knots.

Michael J. Martin
MICHAEL J. MARTIN,
LTJG, USN

APPROVED: J. J. Munro CDR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION +5 R DATE TUESDAY (Day) 23 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM PORT EVERGLADES FLA. TO PHILADELPHIA PA.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	S CT	30.14	80	76	6	2500	CU	82	060	1
02	SET	CLOCKS	AHEAD	ONE	HOUR	to	CONFORM				+4Q	TIME	ZONE
03	038	2	8	S CT	30.13	81	75	5	3000	CU	84	060	1
04	238	2	8	CLR	30.12	80	75	CLR	—	—	84	095	1
05	258	6	8	CLR	30.12	80	73	CLR	—	—	82	045	1
06	045	3	8	CLR	30.12	80	73	CLR	—	—	82	045	1
07	090	2	8	CLR	30.13	80	75	CLR	—	—	83	090	1
08	040	3	8	S CT	30.15	84	76	3	3000	CU	83	040	1
09	035	4	8	S CT	30.17	85	77	2	3000	CU	83	040	1
10	038	4	8	S CT	30.16	87	80	2	3000	CU	84	040	1
11	045	6	8	S CT	30.15	88	80	3	3000	CU	84	040	1
12	050	6	8	S CT	30.15	89	81	3	3000	CU	84	040	1
13	110	4	8	S CTO	30.15	86	79	5	3000	CU	85	140	1
14	040	8	8	S CT	30.15	85	78	5	3000	CU	86	150	2
15	040	5	8	S CT	30.14	85	79	4	3000	CU	86	130	2
16	040	5	8	S CT	30.14	86	80	4	3000	CU	86	120	2
17	115	5	8	S CT	30.12	86	80	4	3000	CU	86	115	1
18	150	5	8	S CT	30.12	85	79	3	3000	CU	82	150	1
19	155	5	8	S CT	30.12	85	79	2	3000	CU	85	155	1
20	125	5	8	S CT	30.12	83	78	2	3000	CU	84	140	1
21	045	6	8	S CT	30.12	81	78	2	3000	CU	84	110	2
22	075	8	8	S CT	30.14	79	76	1	3000	CU	84	120	2
23	080	9	8	S CT	30.14	80	77	2	3000	CU	84	125	2
24	065	9	8	S CT	30.14	86	76	5	3000	CU	84	080	2

POSITION	ZONE	TIME
0800 L 30°50'N	BY	2
λ 77°40'W	BY	2
1200 L 31°41'N	BY	2
λ 77°07'W	BY	2
2000 L 31°55'N	BY	2
λ 76°10'W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 350.9

FUEL CONSUMED 0000-2400:

REMARKS

00-04 STEAMING IN COMPANY WITH TASK UNIT 178.4.3, COMPOSED OF USS BLACKWOOD (DE-219), USS SNOWDEN (DE 246) USS HANK (DD-702), AND ABBOT ENROUTE FROM PORT EVERGLADES FLA TO PHILADELPHIA, PA. IN ACCORDANCE WITH COMNAVRES DE DIV 4ND 6-64. THIS SHIP PRESENTLY PROCEEDING TO STATION 2 OF A COLUMN FORMATION. FORMATION COURSE 028, SPEED 17 KNOTS. SOPA AND OTC IS CTU 178.4.3 IN BLACKWOOD. WHEN ON STATION BLACKWOOD IS GUIDE BEARING 028, 500 YARDS CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE ALE SET. 0001 C/S 20 KNOTS. 0018 C/S 25 KTS. 0024 CS 15 KNOTS 0045 C/S 17 KTS. 0059 ALL CLOCKS SET AHEAD 1 HOUR TO CONFORM to +4Q TIME ZONE. 0350 C/S TO 15 KTS, STOPPED PORT SHAFT ~~IN~~ IN ORDER TO SECURE NUMBER 2 MAIN ENGINE.

J. W. Lackey
2D USN

APPROVED:
J. [illegible] CDR
U. S. N. COMMANDING

EXAMINED:
John [illegible] LCDR
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD-629 TUESDAY (Day) 23 (Date) JUNE (Month), 19 64

04-08 STEAMING AS BEFORE. 0442 LT SUPERHEAT UNDER BOILER #2
0602 ABBOT ASSUMED GUIDE BASE COURSE 028 BASE SPEED 10.
0724 C/C 090 TO FACILITATE USS HANK MOORING ALONG-SIDE
TO STARBOARD. 0725 C/S ALL STOP. USS HANK COMMENCED
APPROACH TO STARBOARD. 0752 USS HANK MOORED
TO STARBOARD. ~~DSH COMMENCED PERSONNEL TRANSFER.~~ RJB

R J Bogle
R. J. BOGLE
LTJG USNR

08-12 Underway as before. 0811 Commenced transfer of observers. 0813 Completed transfer of all personnel. 0815 All lines are clear. 0816 Stbd engine ahead 1/3. Set course 275° 1817 Stbd engine ahead 2/3 0818 C/C 030° 0819 Stbd engine ahead standard. 0824 C/C 028° 0850 INDICATING 17 KTS ON THE STBD ENGINE TRUE SPEED 12.5 KTS. 0940 INDICATING 20 KTS ON THE STBD. ENGINE, TRUE SPEED 13.9 KTS. 0952 INDICATING 15 KTS ON THE STBD ENGINE. 1006 INDICATING 20 KTS ON THE STBD. ENGINE. 1017 INDICATING 23 KTS ON THE STBD. ENGINE. 1028 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL. 1153 INDICATING 15 KTS ON THE STBD ENGINE. R7

R. Zaugg
LT USNR-R

12-16 STEAMING AS before. 1220 MANEUVERING AT VARIOUS COURSES AND SPEEDS to put MOTOR WHALE BOAT IN WATER. 1232 MOTOR WHALE BOAT IN THE WATER for PERSONNEL TRANSFER with USS HANK (DD-702) 1308 MOTOR WHALE BOAT OUT of THE WATER. 1312 C/C 025° C/S 15 KTS. 1313 MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE preparing to EXERCISE AT GENERAL QUARTERS. 1400 WENT to GENERAL QUARTERS for ENGINEERING AND ABC drills. 1642 C/C 030, SET MATERIAL CONDITION YOKE. 1650 SECURED from GENERAL QUARTERS.

RH Gosnin Lt jg/USNR-R

~~16-20 STEAMING AS BEFORE. 1732 C/C 000 1737 C/C 006 C/S~~
~~15 KNOTS ENROUTE RENDEZVOUS WITH USS BLACKWOOD 1800 C/S~~
~~10 KNOTS TO UNLOCK PORT SHAFT 1811 SET COURSE 025, SPEED~~
~~15 KNOTS. 1815 ASSUMED GUIDE IN COLUMN FORMATION IN STATION 1,~~
~~BASE COURSE 025 BASE SPEED 15. USS HANK IN STATION 2,~~
RJB TO STARBOARD SHAFT

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: [signature] LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) TUESDAY (Day) 23 (Date) JUNE (Month), 19 64

16-18 STEAMING AS BEFORE. 1600 C/C TO 060°. 1607 C/C TO 030° 1620 C/C TO 040° 1625 C/C TO 060° 1630 C/C TO 070° 1636 C/C TO 100° 1640 C/C TO 060° 1642 C/C TO 030°. SET MATERIAL CONDITION YOKE. 1650 SECURED FROM GENERAL QUARTERS. 1655 LIGHTED FIRES UNDER BOILER #3. 1700 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAKE BOAT TRANSFER OF PERSONNEL. 1721 HANK'S BOAT ALONGSIDE STARBOARD. 1725 BOAT CLEARED FROM STARBOARD WITH 14 PASSENGERS ABOARD. 1737 SET COURSE 006° SPEED 11 KTS. 1744 C/C TO 010° 1755 C/C TO 020°. BOILER #3 ON THE LINE PORT SHAFT IS UNCOOKED AND TRAILING.

John M. Kielleher
JOHN M. KIELLEHER
LTJG USN

18-20 STEAMING AS BEFORE. 1732 C/C 000 1737 C/C 006 C/S 15 KNOTS TO STARBOARD SHAFT, ENROUTE RENDEZVOUS WITH USS BLACKWOOD. 1800 C/S 10 KNOTS TO UNLOCK PORT SHAFT. 1811 SET COURSE 025, SPEED 15 KNOTS. 1815 ASSUMED GUIDE IN COLUMN FORMATION IN STATION 1, BASE COURSE 025, BASE SPEED 15. USS HANK IN STATION 2, USS BLACKWOOD IN STATION 3, DOUBLE STANDARD DISTANCE. 1930 USS BLACKWOOD — US MAKING LIGHT LINE TRANSFER ON STARBOARD QUARTER, USS HANK. 1945 USS BLACKWOOD COMMENCING APPROACH FOR LIGHT LINE TRANSFER. 1955 USS BLACKWOOD ALONGSIDE TO STARBOARD FOR LIGHT LINE TRANSFER. ~~2002~~

R J Bogle
R.J. BOGLE
2NG- USNR-R

20-24 Steaming as before. 2002 All lines clear aft. Secured from light line transfer detail. 2008 C/S to 10 kts C/C to 085° 2011 C/S to 15 kts Assumed station #2 in a three ship column formation on base course 025°, speed 15 kts. USS Blackwood (DE-219) is formation Guide in station #1, bearing 025° at 1000 yds. USS HANK (DD-702) is in station #3. 2027 C/C to 300° to leave the formation to effect repairs to the main steam line in the forward engineering plant. 2027 C/C to 025° 2028 Locked the starboard shaft. 2032 C/C to 030° 2046 C/C to 025° 2054 C/S to 16 kts on the port shaft. 2208 C/C to 035° 2229 C/C to 025° 2235 Engineering repairs completed. Unlocked the stbd shaft. C/S to 15 kts. 2249 Lighted superheaters under #2 & #3 boilers C/S to 17 kts Commenced steering various courses to rejoin the formation. 2258 C/S to 20 kts.

W.C. Kuehl
W.C. KUEHL, LT, USNR-R

APPROVED: J. J. Perro CDR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) TUESDAY (Day) 23 (Date) JUNE (Month), 19 64

16-18 STEAMING AS BEFORE. 1600 C/C TO060°. 1609 C/C TO 030° 1620 C/C TO 040° 1625 C/C TO 060° 1630 C/C TO 070° 1636 C/C TO 100° 1640 C/C TO 060° 1642 C/C TO 030°. SET MATERIAL CONDITION YOKE. 1650 SECURED FROM GENERAL QUARTERS. 1655 LIGHTED FIRES UNDER BOILER #3. 1700 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAKE BOAT TRANSFER OF PERSONNEL. 1721 HANK'S BOAT ALONGSIDE STARBOARD. 1725 BOAT CLEARED FROM STARBOARD WITH 14 PASSENGERS ABOARD. 1737 SET COURSE 006° SPEED 11 KTS. 1744 C/C TO 010° 1755 C/C TO 020°. BOILER #3 ON THE LINE PORT SHAFT IS UNCOUPLED AND TRAILING.

John M. Kelleher
JOHN M. KELLEHER
LTJG USN

18-20 STEAMING AS BEFORE. 1732 C/C 000 1737 C/C 006 C/S 15 KNOTS TO STARBOARD SHAFT, ENROUTE RENDEZVOUS WITH USS BLACKWOOD. 1800 C/S 10 KNOTS TO UNLOCK PORT SHAFT. 1811 SET COURSE 025, SPEED 15 KNOTS. 1815 ASSUMED GUIDE IN COLUMN FORMATION IN STATION 1, BASE COURSE 025, BASE SPEED 15. USS HANK IN STATION 2, USS BLACKWOOD IN STATION 3, DOUBLE STANDARD DISTANCE. 1930 USS BLACKWOOD ~~US~~ MAKING LIGHT LINE TRANSFER ON STARBOARD QUARTER, USS HANK. 1945 USS BLACKWOOD COMMENCING APPROACH FOR LIGHT LINE TRANSFER. 1955 USS BLACKWOOD ALONGSIDE TO STARBOARD FOR LIGHT LINE TRANSFER. ~~2002~~

R J Bogle
R.J. BOGLE
ENS USNR-R

20-24 Steaming as before. 2002 All lines clear aft. Secured from light line transfer detail. 2008 C/S to 10 kts C/C to 085° 2011 C/S to 15 kts Assumed station #2 in a three ship column formation on base course 025°, speed 15 kts. USS Blackwood (DE-214) is formation Guide in station #1, bearing 025° at 1000 yds. USS HANK (DD-702) is in station #3. 2023 C/C to 300° to leave the formation to effect repairs to the main steam line in the forward engineering plant. 2027 C/C to 025° 2028 Locked the starboard shaft. 2033 C/C to 036° 2046 C/C to 025° 2154 C/S to 16 kts on the port shaft. 2208 C/C to 035° 2229 C/C to 025° 2235 Engineering repairs completed. Unlocked the stbd shaft. C/S to 15 kts. 2249 Lighted superheaters under #2 & #3 boilers C/S to 17 kts Commenced steering various courses to rejoin the formation. 2258 C/S to 20 kts.

W. C. Kuehl
W.C. KUEHL, LT, USNR-R

APPROVED:
J. J. Burns CDR U. S. N. COMMANDING

EXAMINED:
John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +4 DATE WEDNESDAY (Day) 24 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM FT LAUDERDALE, FLA. TO PHILADELPHIA PA.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	9	8	$^{S}C_{T}$	30.13	80	77	6	3000	CU	85	050	1
02	070	10	8	$^{S}C_{T}$	30.13	80	77	5	3000	CU	85	055	1
03	100	7	8	$^{S}C_{T}$	30.11	80	77	C	L	R.	83	100	1
04	140	7	8	$^{C}L_{R}$	3010	80	77	C	R	R.	80	150	1
05	160	7	8	$^{C}L_{R}$	30.09	80	77	C	L	R	78	160	2
06	185	7	8	$^{C}L_{R}$	30.08	80	77	2	2000	CU	76	185	3
07	215	10	7	$^{C}L_{R}$	30.09	80	77	2	2000	CU	75	215	3
08	315	12	7	$^{S}C_{T}$	30.09	79	77	2	3000	CU	74	220	2
09	240	11	7	$^{S}C_{T}$	30.08	79	77	1	3000	CU	72	210	2
10	230	13	7	$^{S}C_{T}$	30.08	78	76	1	3000	CU	74	220	3
11	220	11	7	$^{S}C_{T}$	3006	78	76	C	L	R.	74	210	3
12	195	12	7	$^{C}L_{R}$	3004	78	76	C	L	R	74	200	3
13	200	13	7	$^{C}L_{R}$	3003	79	77	C	L	R	72	200	3
14	180	14	7	$^{C}L_{R}$	3002	79	76	C	L	R	73	205	3
15	170	13	7	$^{C}L_{R}$	3000	79	76	C	L	R.	73	170	3
16	170	11	7	$^{C}L_{R}$	3000	79	75	2	3000	CU	70	170	3
17	175	14	7	$^{S}C_{T}$	3000	76	75	1	3000	CU	72	170	3
18	180	13	7	$^{S}C_{T}$	3000	75	75	C	L	R	70	180	4
19	190	11	7	$^{C}L_{R}$	3000	75	75	C	L	R	70	180	4
20	195	16	7	$^{C}L_{R}$	2999	75	74	2	5000	AS	70	185	4
21	190	12	7	$^{S}C_{T}$	2998	74	75	7	3000	CU	70	190	4
22	200	10	6	$^{S}C_{T}$	3000	75	74	7	3000	CU	70	205	4
23	205	8	6	$^{S}C_{T}$	30.03	74	73	4	3500	CU	70	210	3
24	205	8	6	$^{O}V_{C}$	30.04	73	73	OVC	—	—	72	210	2

POSITION	ZONE	TIME
0800 L 36° 17.5 N	BY	2
λ 74° 41.5 W	BY	2
1200 L 37° 00 N	BY	2
λ 74° 48' W	BY	2
2000 L 37° 19 N	BY	2
λ 74° 21° W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 STEAMING IN COMPANY WITH TASK UNIT 178.4.3, COMPOSED OF COMRESDEDIV 4ND, U.S.S. BLACKWOOD (DD-219), U.S.S. HAWK (DD-702), AND ABBOT, ENROUTE FROM FORT LAUDERDALE, FLA., TO PHILADELPHIA, PA., IN ACCORDANCE WITH COMRESDEDIV 4ND Op Order 6-64. . THIS SHIP IN STATION #2 IN A COLUMN OF SHIPS, DOUBLE STANDARD DISTANCE. FORMATION COURSE 025, SPEED 15 KNOTS. OTC AND SOPA is COMRESDEDIV 4ND) in BLACKWOOD. BLACKWOOD IS GUIDE, BEARING 025, DISTANCE 1000 YARDS. CONDITIONS OF READINESS IV AND MATERIAL CONDITION YOKE(MODIFIED) SET.

Michael J. Martin
MICHAEL J. MARTIN,
LTJG, USN

04-08 STEAMING AS BEFORE. 0411 C/C TO 005°(T). 0721 C/C TO 310°(T). 0723 C/C TO 005°(T). 0729 LOCKED PORT SHAFT C/S TO 15 KTS. 0735 C/S TO 20 KTS. 0747 SECURED NUMBER 3 BOILER. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: John R. Ben LT USN _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT — WEDNESDAY (Day) 24 (Date) JUNE (Month), 19 64

8-12 STEAMING AS BEFORE 0723 LEFT FORMATION ON COURSE 310 TO FACILITATE REPAIRS TO BOILER #3. 0729 SET COURSE 005, SPEED 15 KNOTS TO STARBOARD SHAFT. 0735 C/S 20 KNOTS TO STARBOARD SHAFT. 0814 C/C 000 C/S 17 KTS TO STARBOARD SHAFT. 0845 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1135 C/C 240 C/S 15 KNOTS TO STARBOARD SHAFT.

R J Bogh
LT/C USNR

12-16 STEAMING AS BEFORE. 1217 C/C 080°, SPEED 20 KTS TO THE STARBOARD SHAFT. 1218 C/C 045° 1234 C/C 035° 1236 SPEED 21 KTS TO THE STARBOARD SHAFT. 1302 C/C 020° 1320 MANEUVERING TO RECEIVE SNOWDEN MOTOR WHALE BOAT 1327 MOTORWHALE BOAT ALONGSIDE STARBOARD QUARTER 1329 CAST OF MOTOR WHALE BOAT 1332 SPEED 10 KTS TO THE STARBOARD SHAFT 1333 SPEED 15 KTS TO THE STARBOARD SHAFT. 1334 C/C 280° 1337 SPEED 10 KTS TO THE STARBOARD SHAFT. 1342 C/C 240° 1347 C/C 150° 1410 C/C 120° 1436 SPEED 15 KNOTS TO THE STARBOARD SHAFT 1447 C/C 080° 1514 C/C 090° 1532 C/C 130° 1537 LIGHTED FIRES UNDER #3 BOILER. 1540 C/C 090°

R. Zaayenga
LT USNR-R

16-18 Steaming As before. 1618 C/C 000°. 1653 C/C 330° 1659 C/C 090° C/S 10 KTS. 1718 C/C 330° 1721 C/S 15 KTS. 1740 All engines Ahead 2/3. 1808 C/C 040° C/S 20 KTS.

R H Jerman
LTJG USNR-R

APPROVED: J J Perro COR — U. S. N. COMMANDING

EXAMINED: John Pedersen CDR — U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE WEDNESDAY (Day) 24 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	9	8	SCT	30.13	80	77	6	3000	CU	85	050	1
02	070	10	8	SCT	30.13	80	77	5	3000	CU	85	055	1
03	100	7	8	CLR	30.11	80	77	CLR	—	—	83	100	1
04	140	7	8	CLR	30.10	80	77	CLR	—	—	80	150	1
05	160	7	8	CLR	30.09	80	77	CLR	—	—	78	160	2
06	185	7	7	SCT	30.08	80	77	2	2000	CU	76	185	3
07	215	7	7	SCT	30.09	80	77	2	2000	CU	75	215	3
08	315	10	7	SCT	30.09	79	77	2	3000	CU	74	220	2
09	240	12	7	SCT	30.08	79	77	1	3000	CU	72	210	2
10	230	11	7	SCT	30.08	78	76	1	3000	CU	74	220	3
11	220	12	7	CLR	30.06	78	76	CLR	—	—	74	210	3
12	195	13	7	CLR	30.04	79	77	CLR	—	—	74	200	3
13	200	10	7	CLR	30.03	79	76	CLR	—	—	72	200	3
14	205	10	7	CLR	30.02	79	77	CLR	—	—	73	205	3
15	180	11	7	CLR	30.00	76	75	CLR	—	—	73	170	3
16	170	15	7	SCT	30.00	75	74	2	3000	CU	70	170	4
17	170	15	7	SCT	30.00	75	74	1	3000	CU	72	170	4
18	180	15	7	CLR	30.00	75	74	CLR	—	—	70	180	4
19	180	18	7	CLR	29.99	75	73	CLR	—	—	70	180	4
20	190	17	7	SCT	29.98	74	73	2	5000	AS	70	185	4
21	195	17	7	SCT	30.00	75	74	7	3000	CU	70	190	4
22	200	14	7	SCT	30.03	74	73	7	3000	CU	70	205	4
23	215	8	6	SCT	30.04	73	72	4	3500	CU	70	210	3
24	205	7	6	OVC	30.03	73	72	OVC	—	—	72	210	2

POSITION	ZONE	TIME
0800 L 36° 17.5'N	BY	2
λ 74° 41.5'W	BY	2
1200 L 37° 00'N	BY	2
λ 74° 48'W	BY	2
2000 L 37° 19'N	BY	2
λ 74° 21'W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) WEDNESDAY (Day) 24 (Date) JUNE (Month) 19 64

18-24 STEAMING AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO REMAIN WITHIN VISUAL DISTANCE OF BLACKWOOD WHILE BLACKWOOD FIRES 7-21-6. USING TARGET SLED AS GUIDE BEARING 219° DISTANCE 6,600 YDS. 1818 ENGINEERING CASUALTY RESTORED. PORT SHAFT RESTRICTED TO 22 KTS.

John M. Kelleher
JOHN M. KELLEHER
LTJG USN

20-24 Steaming as before. 2040 Maneuvering to take station #4 in a formation one, Base course 020° Base speed 12 knots. Guide is USS BLACKWOOD (DE-219) bearing 020° at 3000 yards. Station #2 USS SNOWDEN (DE-246), Station #3 USS HANK (DD-702), double standard distance between ships. 2215 ~~Exchanged stations with USS HANK~~ RHG. 2050 ON STATION. 2215 Exchanged STATIONS with USS HANK. This ship now in STATION #3. 2220 Proceeding to station #3 of FORMATION E. 2230 ON STATION, Guide, USS BLACKWOOD bears 018 AT 2000 yards.

R H Gerrin
CTG 5 / USNR-R.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: [signature] LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abbot (DD-629) ZONE DESCRIPTION +4 DATE Thursday (Day) 25 (Date) June (Month), 1964

AT/PASSAGE FROM Port Everglades Florida TO Philadelphia, Pennsa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

DD-64 Steaming in company with TU 178.4.5 enroute from Port Everglades, Florida to Philadelphia, Pennsylvania in accordance with ComUSNavRes DE Div 4 and Op Ord 6-64. This ship is in station #3 of a four ship column formation in open order on base course 030°, speed 10 kts. Formation guide is the USS BLACKWOOD (DE-219) in station #1, bearing 018°, range 3000 yds. The engineering plant is split with #2 and #3 boilers and #1 and #2 generators on the line. Readiness condition III and material condition YOKE modified are set. The OTC is CTU 178.4.3 in the USS Blackwood (DE-219). 0107 Changed formation course to 100° 0122 Changed formation course to 200° 0229 With the permission of the OTC commenced maneuvering as necessary to blow tubes. 0258 Rejoined the formation in station #3. c/c to 200°, c/s to 10 kts.

W. C. Kuehl
W. C. KUEHL
LT, USNR-R

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD 629 THURS (Day) 25 (Date) JUNE (Month), 1964

04-08 STEAMING AS BEFORE. 0546 C/C TO 290. 0602 C/C TO 030. 0607 C/C TO 120. 0700 C/S TO 12 KNOTS. 0708 C/S TO 10 KTS. 0713 C/C TO 030. 0715 C/C TO 300. 0730 MUSTERED THE CREW ON STATIONS; ABSENTEES: NONE. 0755 C/C TO 225.

Michael J. Martin
MICHAEL J. MARTIN,
LTJG, USN

08-12 STEAMING AS BEFORE. 0805 C/C TO 280°(T). 0819 C/C TO 270°(T). 0825 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE TAKING STATION 3 MILES ON STARBOARD BEAM OF TARGET SLED. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1020 CEASED TAKING STATION ON SLED. CAPTAIN ASSUMED THE CONN. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO MAKE A LEE FOR A BOAT TRANSFER. 1034 LOWERED MOTOR WHALE BOAT IN THE WATER. 1109 MOTOR WHALE BOAT CLEAR OF THE WATER. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO TAKE STATION 3 MILES BEARING 232°(T). FROM TARGET SLED. 1127 LT ZAATENGA ASSUMED THE DECK AND THE CONN. EXERCISED THE CREW AT GENERAL QUARTERS. SET MATERIAL CONDITION ZEBRA THROUGHOUT THE SHIP. ON STATION FOR CONDUCT OF SURFACE GUNNERY EXERCISE, BASE COURSE 000°(T) BASE SPEED 5 KTS. 1148 C/S TO 8 KTS. 1154 C/S TO 15 KTS. C/C TO 015°(T). 1157 C/C TO 000°(T). 1158 C/S TO 20 KTS.

J. H. Cooley
LT USN

12-18 STEAMING AS BEFORE. 1209 C/S 11 KTS. C/C 015° 1210 1210 COMMENCED FIRING 1211 CEASED FIRING 1214 COMMENCED FIRING 1216 CEASED FIRING 1217 COMMENCED FIRING 1219 CEASED FIRING 1220 C/C 025 C/S 25 KTS. 1222 C/S 20 KTS. 1224 C/C 345° C/S 12 KTS. 1227 COMMENCED FIRING 1229 CEASED FIRING. 1236 C/C 331° 1238 C/C 331 1237 C/C 293° 1239 C/C 270° 1240 C/C 280° 1244 C/C 000 C/S 5 KTS. 1254 C/C 300° C/S 20 KTS. 1321 C/S 10 KTS. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS CONDUCTING 2-21, 23, and 36 GUNNERY EXERCISES. R2 1724 COMPLETED EXERCISES. SET MATERIAL CONDITION YOKE. 1731 SECURED FROM GENERAL QUARTERS. SET COURSE 000° SPEED 20 KTS.

R. Zaayenga
LT USNR-R

18-20 Steaming as before. 1930 Proceeding to take station #2 in A FORMATION and 1943 This ship in station #2 with guide bearing 000° at 1000 yds. Guide is USS HANK (DD-702). B/C 000° B/S 10 KTS.

R H Gwenn
LTJG USNR-R.

APPROVED: J. J. Ruttro CDR U. S. N. COMMANDING

EXAMINED: John Allen LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
TA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) THURSDAY 25 JUNE 19 64
(Day) (Date) (Month)

20-24 STEAMING AS BEFORE. 2000 C/S 10 SKTS WHILE HANK MADE BT DROP. 2010 C/S TO 10KTS. 2020 COMMENCED 2-10-CC. ~~2134~~ SECURED FROM 2-10-CC. JOINED 2126 CTU 178.4.3 ASSUMED TACTICAL COMMAND. BLACKWOOD MANEUVERING TO ASSUME STATION #4 IN TASK UNIT FORMATION. 2130 THIS SHIP AND HANK DETACHED TO PROCEED INDEPENDENTLY TO PHILADELPHIA. HANK ASSUMED TACTICAL COMMAND. 2134 C/C BY TURN TO 090° ~~FROM~~ C/S TO 15KTS. GUIDE IS HANK BEARING 000°, DISTANCE 1000 YDS. BLACKWOOD AND SNOWDEN STEAMING INDEPENDENTLY CONDUCTING TSE. 2200 DETACHED BY HANK TO PROCEED INDEPENDENTLY TO PHILADELPHIA. 2201 C/C TO 339° C/S TO 13KTS. 2250 C/C TO 050° 2252 C/C TO 347°

John M. Kelleher
JOHN M. KELLEHER
LTJG USN

APPROVED:
U. S. N. COMMANDING

EXAMINED:
U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD629 ZONE DESCRIPTION +4 DATE FRIDAY (Day) 26 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM PORT EVERGLADES FLA. TO PHILADELPHIA PA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	315	10	7	S_{CT}	3085	71	68	2	10000	CI	72	CALM	
02	300	10	7	S_{CT}	30.26	70	68	C	L	R	72	CALM	
03	310	11	7	C_{LR}	30.27	70	68	C	L	R	72	CALM	
04	330	8	7	C_{LR}	30.28	68	66	C	L	R	70	CALM	
05	337	6	7	C_{LR}	30.28	66	64	C	L	R	62	CALM	
06	329	4	7	C_{LR}	30.30	70	66	C	L	R	70	CALM	
07	325	3	7	C_{LR}	30.30	73	67	C	L	R	71	CALM	
08	330	3	7	C_{LR}	30.30	74	67	C	L	R	71	CALM	
09	330	4	7	C_{LR}	30.29	74	67	C	L	R	71	CALM	
10	308	4	7	C_{LR}	30.32	75	68	C	L	R	71	CALM	
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS SOPA U.S.S. GUADACANAL (KOA →)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
147.8

FUEL CONSUMED 0000-2400
8,946

REMARKS

00-04 STEAMING INDEPENDENTLY AS A MEMBER OF TU 178.4.3 ENROUTE TO PHILADELPHIA, PENNA FROM PORT EVERGLADE, FLA. READINESS CONDITION IV AND MATERIAL CONDITION YOKE MODIFIED ARE SET. ON COURSE ~~315~~ 347 SPEED 13 0121 C/S 10 KTS 0131 C/C 315 0254 C/C 320 0258 C/S 11 KTS 0259 C/C 315

G. STEFENCHAGE
LTJG USN.

04-08 STEAMING AS BEFORE. 0415 C/S TO 13 KNOTS. 0425 C/C TO 325. 0449 C/S TO 18 KNOTS. 0452 C/C TO 337, C/S TO 20 KNOTS; ENTERED INLAND WATERS. STATIONED SPECIAL SEA DETAIL, OOD CONNING, CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0519 C/S TO 22 KNOTS. 0530 PASSED BRANDYWINE SHOAL LIGHT ABEAM TO STARBOARD, RANGE 1000 YARDS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS, WHILE CONFORMING TO DELAWARE RIVER CHANNEL.

MICHAEL J. MARTIN,
LTJG, USN

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) FRIDAY (Day) 26 (Date) JUNE (Month), 19 64

08-12 STEAMING AS BEFORE. 1007 YTM-359 CAME ALONGSIDE PORT BOW. PILOT TRYNER CAME ABOARD. 1016 PILOT WAS GIVEN THE CONN. COMMENCED MANEUVERING TO GO ALONGSIDE THE PIER. 1029 MOORED STARBOARD SIDE TO PIER TWO WEST US NAVAL SHIPYARD PHILADELPHIA, PA. WITH STANDARD MOORING LINES DOUBLED. 1035 CAST OFF YTM-359. 1040 SECURED THE SPECIAL SEA DETAIL. 1045 OFFICER OF THE DECK SHIFTED HIS WATCH TO THE QUARTERDECK. PILOT LEFT THE SHIP. SOPA is COMMANDING OFFICER, USS GUADALCANAL (LPH-7). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND VARIOUS YARD AND DISTRICT CRAFT.

J M Cadden
LT USN

12-16 MOORED AS BEFORE.

JE MATSON
MTSG USNR

16-20 MOORED AS BEFORE.

JE MATSON
MTSG USNR

20-24 MOORED AS BEFORE.

J.E. MATSON
MTSG USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +4 DATE SATURDAY (Day) 27 (Date) JUNE (Month), 19 CY

AT/~~PASSAGE~~ FROM PHILADELPHIA PENNA. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS PAB TO AGS30 SOPA GUADACANAL 0545 0545 MPH-7

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 2(W) PHILADELPHIA NAVAL BASE PHILADELPHIA, PENNA WITH STANDARD MOORING LINES DOUBLED RECEIVING VARIOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. SOPA IS COMMANDING OFFICER USS. ~~SAN PABLO AGS 30~~. GUADACANAC MH7

J E Matson
J.E. MATSON
LTJG USNR

04-08 MOORED AS BEFORE 0730 MUSTERED THE CREW AT QUARTERS ABSENTEES NONE.

G. Stefencavage
G. STEFENCAVAGE
LTJG USN

APPROVED: U.S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD-629 SATURDAY (Day) 27 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 0800 MUSTERED THE CREW AT QUARTERS NO UNAUTHORIZED ABSENTEES. CAPTAIN DEPARTED ON EIGHT DAYS LEAVE. 0910 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL

Lane H Kendig
LANE H KENDIG
LTJG USNR

12-16 MOORED AS BEFORE.

Lane H Kendig
LANE H KENDIG
LTJG USNR

16-20 MOORED AS BEFORE.

Lane H Kendig
LANE H KENDIG
LTJG USNR

20-24 MOORED AS BEFORE.

Lane H Kendig
LANE H KENDIG
LTJG USNR

APPROVED: John Ben LCDR U. S. N. COMMANDING

EXAMINED: John Ben LCDR U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION _____ DATE SUNDAY (Day) 28 (Date) JUNE (Month), 19 64

AT/~~PASSAGE~~ FROM PHILADELPHIA PA. TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS CHANGE 1 SOPA GUADALCANAL

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO PIER TWO WEST, U.S. NAVAL BASE, PHILADELPHIA, PA. WITH STANDARD DESTROYER MOORING LINES DOUBLED. THE PLANT IS COLD RECEIVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS USS GUADALCANAL (LPH-7). ØØØ1 SELECT RESERVE CREW DEPARTED SHIP IN ACCORDANCE WITH ~~THESE~~ THEIR ORDERS, HAVING COMPLETED TWO WEEK RESERVE TRAINING CRUISE.

Jane H Kendig
JANE H KENDIG
LTJG USNR

APPROVED: John Rollen LCDR U.S.N. COMMANDING

EXAMINED: John Rollen LCDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
1A 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SUNDAY (Day) 28 (Date) JUNE (Month), 19 64

04-08 MOORED AS BEFORE.

Lane H Kendig
LANE H KENDIG
LTJG USNR

08-12 MOORED AS BEFORE. 0800 MUSTERED THE CREW ON STATION. NO UNAUTHORIZED ABSENTEES. 1052 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

Lane H Kendig
LANE H KENDIG
LTJG USNR

12-16 MOORED AS BEFORE

Lane H Kendig
LANE H KENDIG
LTJG USNR

16-20 MOORED AS BEFORE

Lane H Kendig
LANE H KENDIG
LTJG USNR

20-24 MOORED AS BEFORE

Lane H Kendig
LANE H KENDIG
LTJG USNR

APPROVED: John Allen Capt U. S. N. COMMANDING

EXAMINED: John Allen Capt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION _____ DATE MONDAY (Day) 29 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ PHILADELPHIA PA. TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS ABOVE

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER TWO SOUTH, US NAVAL BASE PHILADELPHIA, PA. WITH STANDARD DESTROYER MOORING LINES DOUBLED. THE PLANT IS COLD, RECEIVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. ~~SOPA~~ IS USS GUADALCANAL (LPH 7)

Lane H Kendig
LANE H KENDIG
LTJG USNR

04-08 MOORED AS BEFORE.

Lane H Kendig
LANE H KENDIG
LTJG USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DD-629 MONDAY (Day) 29 (Date) JUNE (Month), 1964

08-12 MOORED AS BEFORE. 0835 VON 97 CAME ALONG SIDE TO PORT. 0840 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 0900 COMMENCED FUELING.

J E Matson
J.E. MATSON
HTSG USNR

12-16 MOORED AS BEFORE. 1312 COMPLETED FUELING. CAST OFF VON 97.

J E Matson
J.E. MATSON
HTSG USNR

16-20 MOORED AS BEFORE.

J E Matson
J.E. MATSON
HTSG USNR

20-24 MOORED AS BEFORE.

J E Matson
J.E. MATSON
HTSG USNR

APPROVED: John Keller CDR U.S.N. COMMANDING

EXAMINED: John Keller CDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD-629 ZONE DESCRIPTION +4Q DATE TUESDAY (Day) 30 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ PHILADELPHIA, PA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SAME AS SOPA GUADALCANAL ~ 7 VPH ~ 55

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER TWO SOUTH, US NAVAL BASE PHILADELPHIA, PA. WITH STANDARD DESTROYER MOORING LINES DOUBLED. THE PLANT IS COLD, RECEIVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND LOCAL SERVICE CRAFT. SOPA IS USS GUADALCANAL (LPH-7).

J E Matson
J.E. MATSON
LTJG USNR

04-08 MOORED AS BEFORE. 0715 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J E Matson
J.E. MATSON
LTJG USNR

APPROVED: J Chaffee LCDR U. S. N. COMMANDING

EXAMINED: J Hooker U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)
IA 0105-401-4700

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) TUESDAY (Day) 30 (Date) JUNE (Month), 19 64

08-12 MOORED AS BEFORE. 1009 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS SATISFACTORY. 1012 IN ACCORDANCE WITH BUPERS ORDER 063414 OF 12 MAY 1964, LT JAMES V. DUNN, USN, 630484, REPORTED ABOARD FOR TEMPORARY DUTY.

Michael Harris
MICHAEL HARRIS
ENS USNR

12-16 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
ENS USNR

16-20 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
ENS USNR

20-24 MOORED AS BEFORE.

Michael Harris
MICHAEL HARRIS
ENS USNR

APPROVED: John Kler LCDR U.S.N. COMMANDING

EXAMINED: John Kler LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR